

Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Biopor UV-S Comp. A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

Silicone lacquer for coating earmolds and ear impressions

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

DE-59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research &amp; Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.com

for this SDS

### 1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

## SECTION 2: Hazards identification \*\*\*

### 2.1. Classification of the substance or mixture

#### Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

Aquatic Acute 1 H400

Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Hazard pictograms \*\*\*



#### Signal word

Danger



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

**Hazard statements \*\*\***

H225	Highly flammable liquid and vapour.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary statements \*\*\***

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501.1	Dispose of contents/container to industrial incineration plant.
EUH208 Contains	(Trimethyl)methylcyclopentadienylplatinum (IV) May produce an allergic reaction.

**2.3. Other hazards**

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**SECTION 3: Composition/information on ingredients \*\*\*****3.2. Mixtures****Chemical characterization**

Addition-vulcanising 2-component silicone

**Hazardous ingredients \*\*\*****Hexamethyldisiloxane**

CAS No.	107-46-0			
EINECS no.	203-492-7			
Registration no.	01-2119496108-31			
Concentration	>= 50			%
Classification (Regulation (EC) No. 1272/2008)				
	Flam. Liq. 2		H225	
	Aquatic Acute 1		H400	
	Aquatic Chronic 2		H411	

**(Trimethyl)methylcyclopentadienylplatinum (IV)**

CAS No.	94442-22-5			
EINECS no.	629-160-5			
Concentration	>= 0,1	< 1		%
Classification (Regulation (EC) No. 1272/2008)				
	Acute Tox. 3		H301	
	Acute Tox. 3		H311	
	Skin Sens. 1		H317	
	Aquatic Acute 1		H400	

cATpE	oral	100	mg/kg
cATpE	dermal	300	mg/kg



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

**Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH). \*\*\***

Hexamethyldisiloxane

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated clothing immediately and dispose of safely. In case of persistent symptoms consult doctor.

**After inhalation**

Ensure supply of fresh air. Seek medical advice immediately.

**After skin contact**

Wash off immediately with soap and water. Seek medical advice immediately.

**After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical advice immediately.

**After ingestion**

Call in a physician immediately and show him the Safety Data Sheet.

**Adhere to personal protective measures when giving first aid**

First aider: Pay attention to self-protection!

**4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

**4.3. Indication of any immediate medical attention and special treatment needed****Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Recommended: alcohol resistant foam, CO<sub>2</sub>-blanket, powders, water spray/mist, Extinguishing measures to suit surroundings

**Non suitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

In case of combustion evolution of dangerous gases possible.

**5.3. Advice for firefighters****Special protective equipment for fire-fighting**

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

**Other information**

Collect contaminated fire-fighting water separately, must not be discharged into the drains.



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use personal protective clothing. Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil.

### 6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Provide suitable exhaust ventilation at processing machines. Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition! Use explosion-proof apparatus and fittings. Keep container tightly closed.

#### Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store product in closed containers. Protect from heat and direct sunlight

#### Hints on storage assembly

Do not store with strong oxidizing agents.

#### Further information on storage conditions

Protect from direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Other information

Contains no substances with occupational exposure limit values.

#### Derived No/Minimal Effect Levels (DNEL/DMEL)

##### Hexamethyldisiloxane

Type of value

Derived No Effect Level (DNEL)

Reference group

Worker



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

Route of exposure	dermal	
Concentration	333	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Concentration	53,4	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	oral	
Concentration	0,27	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	dermal	
Concentration	167	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	inhalative	
Concentration	13,3	mg/m <sup>3</sup>

**Predicted No Effect Concentration (PNEC)****Hexamethyldisiloxane**

Type of value	PNEC	
Type	Freshwater	
Concentration	0,003	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	8,9	mg/kg
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,089	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	0,14	mg/kg
Type of value	PNEC	
Type	Secondary poisoning	
Concentration	5,3	mg/kg

**8.2. Exposure controls****General protective and hygiene measures**

Do not smoke during work time. Do not inhale gases/vapours/aerosols. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

**Respiratory protection**

Use suitable respiratory protective device in case of insufficient ventilation; The respiratory protection must comply with the relevant CEN standards.

**Hand protection**



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.  
The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.  
Gloves should be replaced regularly and if there is any sign of damage to the glove material.  
Hand protection must comply with EN 374.  
Appropriate Material                      Butyl rubber

**Eye protection**

Tightly fitting safety glasses

**Body protection**

Clothing as usual in the chemical industry.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	liquid		
<b>Colour</b>	colourless		
<b>Odour</b>	characteristic		
<b>Melting point</b>			
Remarks	not determined		
<b>Freezing point</b>			
Remarks	not determined		
<b>Boiling point or initial boiling point and boiling range</b>			
Value	101		°C
<b>Flammability</b>			
evaluation	not determined		
<b>Upper and lower explosive limits</b>			
Remarks	not determined		
<b>Flash point</b>			
Value	-8		°C
Method	closed cup		
<b>Auto-ignition temperature</b>			
Remarks	not determined		
<b>Decomposition temperature</b>			
Remarks	not determined		
<b>pH value</b>			
Remarks	not determined		
<b>Viscosity</b>			
Remarks	not determined		
<b>Solubility(ies)</b>			
Remarks	not determined		
<b>Partition coefficient n-octanol/water (log value)</b>			
Remarks	not determined		
<b>Vapour pressure</b>			
Value	< 100		hPa
Temperature	20	°C	



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

**Density and/or relative density**

Value	0,83		g/cm <sup>3</sup>
Temperature	20	°C	

**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks not determined

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting. Protect from heat and direct sunlight

**10.5. Incompatible materials**

None known

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

ATE	>	10.000	mg/kg
Method	calculated value according to GHS (e.g see UN GHS)		

**Acute oral toxicity (Components)****Hexamethyldisiloxane**

Species	rat		
LD50	>	12160	mg/kg



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

Method OECD 401

**(Trimethyl)methylcyclopentadienylplatinum (IV)**

Remarks The classification criteria are met.

**Acute dermal toxicity**ATE > 10.000 mg/kg  
Method calculated value according to GHS (e.g see UN GHS)**Acute dermal toxicity (Components)****Hexamethyldisiloxane**Species rat  
LD50 > 2000 mg/kg  
Method OECD 402**(Trimethyl)methylcyclopentadienylplatinum (IV)**

Remarks The classification criteria are met.

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute inhalative toxicity (Components)****Hexamethyldisiloxane**Species rat  
LC50 appr. 106 mg/l  
Duration of exposure 4 h  
Method OECD 403**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Remarks Based on available data, the classification criteria are not met.

**Sensitization**

Remarks Based on available data, the classification criteria are not met.

**Sensitization (Components)****(Trimethyl)methylcyclopentadienylplatinum (IV)**

Remarks May cause sensitization by skin contact.

**Subacute, subchronic, chronic toxicity**

Remarks not determined

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards**



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**Other information**

No toxicological data are available.

## SECTION 12: Ecological information

**12.1. Toxicity****General information**

not determined

**Fish toxicity (Components)****Hexamethyldisiloxane**

Species	rainbow trout ( <i>Oncorhynchus mykiss</i> )		
LC50	0,46		mg/l
Duration of exposure	96	h	

**Hexamethyldisiloxane**

Species	Fathead minnow ( <i>Pimephales promelas</i> )		
NOEC	0,029		mg/l
Duration of exposure	32	d	
Method	OECD 210		

**Daphnia toxicity (Components)****Hexamethyldisiloxane**

Species	Daphnia magna		
NOEC	0,3		mg/l
Duration of exposure	21	d	
Method	OECD 211		

**Algae toxicity (Components)****Hexamethyldisiloxane**

Species	Pseudokirchneriella subcapitata		
ErC50	> 0,55		mg/l
Duration of exposure	95	h	
Method	OECD 201		

**Bacteria toxicity (Components)****Hexamethyldisiloxane**

Species	activated sludge		
NOEC	>= 100		mg/l
Duration of exposure	3	h	
Method	OECD 209		

**12.2. Persistence and degradability****General information**

not determined

**Biodegradability (Components)****Hexamethyldisiloxane**

Value	2		%
Duration of test evaluation	28	d	
	not readily degradable		



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

### 12.3. Bioaccumulative potential

#### General information

not determined

#### Partition coefficient n-octanol/water (log value)

Remarks not determined

#### Octanol/water partition coefficient (log Pow) (Components)

##### Hexamethyldisiloxane

log Pow	5,06	
Temperature	20	°C

### 12.4. Mobility in soil

#### General information

not determined

### 12.5. Results of PBT and vPvB assessment

#### General information

not determined

#### Results of PBT and vPvB assessment

The product contains no PBT substances  
The product contains no vPvB substances.

### 12.6 Endocrine disrupting properties

#### Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

#### General information

not determined

#### General information / ecology

Do not allow to enter soil, waterways or waste water canal.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Must not be disposed together with household garbage.  
Dispose of waste according to applicable legislation.

#### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## SECTION 14: Transport information \*\*\*

Trade name: Biopor UV-S Comp. A






Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

	Land transport ADR/RID ***	Marine transport IMDG/GGVSee ***	Air transport ICAO/IATA ***
14.1. UN number or ID number	1993	1993	1993
14.2. UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane, (Trimethyl)methylcyclopentadienylplatinum (IV))	FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane, (Trimethyl)methylcyclopentadienylplatinum (IV))	FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane, (Trimethyl)methylcyclopentadienylplatinum (IV))
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Special provision	640D		
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 5 l / 5 kg	The product can be transported in accordance with IMDG Code paragraph 2.10.2.7, provided packaging not more than 5 l / 5 kg.	
Limited Quantity	1 l	1 l	
Transport category	2		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant  ENVIRONMENTALLY HAZARDOUS	-
Tunnel restriction code	D/E		

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other information

All components are contained in the TSCA inventory or exempted.

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.



Trade name: Biopor UV-S Comp. A

Substance number: 45161

Version: 2 / GB

Date revised: 30.10.2024

Replaces Version: 1 / GB

Print date: 30.10.2024

## SECTION 16: Other information

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2	H225	On basis of test data
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

### Hazard statements listed in Chapter 2/3

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

### CLP categories listed in Chapter 2/3

Acute Tox. 3	Acute toxicity, Category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Flam. Liq. 2	Flammable liquid, Category 2
Skin Sens. 1	Skin sensitization, Category 1

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.