Trade name: Fotoplast S hart

Substance number: 71424

Version: 1 / GB Replaces Version: - / GB Date revised: 14.03.2023 Print date: 14.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Fotoplast S hart

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Light-curing material for the production of earmolds

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Otoplastik GmbH Max-Planck-Straße 31 59423 Unna Telephone no. +49 2303 8807-0 Fax no. +49 2303 8807-29 Information provided Department Research & Development: Fax: +49 2303 8807-562 by / telephone E-mail address of sicherheitsdatenblatt@dreve.de person responsible for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319
Skin Sens. 1	H317
Aquatic Chronic 4	H413
t is classified and labelled in acco	ordance with Rec

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Causes serious eye irritation.

Trade name: Fotoplast S har	t	
Substance number: 71424	Version: 1 / GB	Date revised: 14.03.202
	Replaces Version: -/GB	Print date: 14.03.202
H317 H413	May cause an allergic skin reaction. May cause long lasting harmful effects to aquatic life.	
Precautionary stater	nents	
P261 P264.1 P273 P280 P305+P351+P338 P501.1 Hazardous compone contains	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protect IF IN EYES: Rinse cautiously with water for several m lenses, if present and easy to do. Continue rinsing. Dispose of contents/container to industrial incineration ent(s) to be indicated on label (Regulation (EC) N Tetramethylene dimethacrylate; Hydroxylpropyl metha Isopropylidenediphenol, oligomeric reaction products of epoxypropane, esters with acrylic acid	inutes. Remove contact n plant. Io. 1272/2008) acrylate; 4,4'-
The product contains not contain a substar	have to be mentioned. The product contains no vPvB sub- nce that has endocrine disrupting properties with respect substance that has endocrine disrupting properties with re	to human. The product

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

Bisphenol A, ethoxyla	ted. dimethacrvlate			
	41637-38-1			
	609-946-4			
Registration no.				
Concentration	>= 50			%
Classification (Regula	tion (EC) No. 1272/2008)			
	Aquatic Chronic 4	H413		
Aliphatic urethane me	thacrylate			
Concentration	>= 10	<	25	%
Classification (Regula	tion (EC) No. 1272/2008)			
	Eye Irrit. 2	H319		
Hydroxylpropyl metha	-			
CAS No.	27813-02-1			
CAS No. EINECS no.	27813-02-1 248-666-3			
CAS No. EINECS no. Registration no.	27813-02-1 248-666-3 01-2119490226-37		40	0/
CAS No. EINECS no. Registration no. Concentration	27813-02-1 248-666-3 01-2119490226-37 >= 1	<	10	%
CAS No. EINECS no. Registration no. Concentration	27813-02-1 248-666-3 01-2119490226-37 >= 1 tion (EC) No. 1272/2008)	-	10	%
CAS No. EINECS no. Registration no. Concentration	27813-02-1 248-666-3 01-2119490226-37 >= 1 tion (EC) No. 1272/2008) Eye Irrit. 2	H319	10	%
CAS No. EINECS no. Registration no. Concentration	27813-02-1 248-666-3 01-2119490226-37 >= 1 tion (EC) No. 1272/2008)	-	10	%
CAS No. EINECS no. Registration no. Concentration	27813-02-1 248-666-3 01-2119490226-37 >= 1 tion (EC) No. 1272/2008) Eye Irrit. 2	H319	10	% mg/kg
CAS No. EINECS no. Registration no. Concentration Classification (Regula	27813-02-1 248-666-3 01-2119490226-37 >= 1 tion (EC) No. 1272/2008) Eye Irrit. 2 Skin Sens. 1	H319 H317	10	
CAS No. EINECS no. Registration no. Concentration Classification (Regula	27813-02-1 248-666-3 01-2119490226-37 >= 1 tion (EC) No. 1272/2008) Eye Irrit. 2 Skin Sens. 1	H319 H317	10	

Trade name: Fotoplast S ha	rt				
Substance number: 71424	Version:	1/GB			Date revised: 14.03.202
	Replace	s Versio	n: -/GI	3	Print date: 14.03.202
Registration no. Concentration Classification (Regu	01-2119967415-30 >= 1 Ilation (EC) No. 1272/2008) Skin Sens. 1B	< H317	10	%	
CAS No.	55818-57-0				
EINECS no. Registration no. Concentration Classification (Regu	500-130-2 01-2119490020-53 >= 0,1 Ilation (EC) No. 1272/2008)	<	1	%	
Registration no. Concentration	01-2119490020-53 >= 0,1	< H317 H411	1	%	
Registration no. Concentration Classification (Regu Diphenyl(2,4,6-trime	01-2119490020-53 >= 0,1 Ilation (EC) No. 1272/2008) Skin Sens. 1 Aquatic Chronic 2 thylbenzoyl)phosphine ox	H317 H411	1	%	
Registration no. Concentration Classification (Regu Diphenyl(2,4,6-trime CAS No. EINECS no.	01-2119490020-53 >= 0,1 Ilation (EC) No. 1272/2008) Skin Sens. 1 Aquatic Chronic 2 thylbenzoyl)phosphine ox 75980-60-8 278-355-8	H317 H411	1	%	
Registration no. Concentration Classification (Regu Diphenyl(2,4,6-trime CAS No. EINECS no. Registration no. Concentration	01-2119490020-53 >= 0,1 Ilation (EC) No. 1272/2008) Skin Sens. 1 Aquatic Chronic 2 thylbenzoyl)phosphine ox 75980-60-8 278-355-8	H317 H411	1	%	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

Trade name: Fotoplast S hart

Substance number: 71424

Version: 1 / GB Replaces Version: - / GB Date revised: 14.03.2023 Print date: 14.03.2023

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor`s instructions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Keep container tightly closed.

Trade name: Fotoplast S hart

Substance number: 71424

Version: 1 / GB Replaces Version: - / GB

Date revised: 14.03.2023

Print date: 14.03.2023

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,233	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,145	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d
Totromothylana dimothaanylata		

Tetramethylene dimethacrylate

Safety data sheet in accordance v	with regulation (EC) No 1907/2006	Dreve
Trade name: Fotoplast S hart		
Substance number: 71424	Version: 1 / GB	Date revised: 14.03.2023
	Replaces Version: - / GB	Print date: 14.03.2023
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	14,5	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	4,2	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	4,3	mg/m³
- / /		-
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	2,5	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,5	mg/kg
Bisphenol A, ethoxylated, o	dimethacrylate	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,52	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2	mg/kg
Type of yelling	Dorived No Effect Level (DNEL)	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure Mode of action	inhalative Systemic offects	
Concentration	Systemic effects 0,87	mg/m³
Concentration	0,07	iiig/iii-

Trade name: Fotoplast S hart		
Substance number: 71424	Version: 1/GB	Date revised: 14.03.20
	Replaces Version: - / GB	Print date: 14.03.20
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,5	mg/kg
4,4'-Isopropylidenedipheno with acrylic acid	I, oligomeric reaction products with 1-c	hloro-2,3-epoxypropane, esters
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	17,5	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	122,5	mg/m³
Hydroxylpropyl methacryla	te	
Reference substance	Hydroxylpropyl methacrylate	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Concentration	14,7	mg/m³
	Hydroxylpropyl methacrylate	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	dermal	
Concentration	4,2	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	dermal	
Concentration	2,5	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	inhalative	
Concentration	8,8	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	

Frade name: Fotoplast S hart		
Substance number: 71424	Version: 1/GB	Date revised: 14.03.202
	Replaces Version: - / GB	Print date: 14.03.202
Route of exposure	oral	
Concentration	2,5	mg/kg
Predicted No Effect Conce	entration (PNEC)	
Diphenyl(2,4,6-trimethylben	zoyl)phosphine oxide	
Type of value	PNEC	
Type	Saltwater	
Concentration	0,00014	mg/l
Type of value	PNEC	
Туре	Freshwater sediment	
Concentration	0,115	mg/kg
Type of value	PNEC	
Туре	Marine sediment	
Concentration	0,0115	mg/kg
Type of value	PNEC	
Туре	Soil	
Concentration	0,0222	mg/kg
Tetramethylene dimethacry	late	
Type of value	PNEC	
Туре	Freshwater	
Concentration	0,043	mg/l
Type of value	PNEC	
Туре	Saltwater	
Concentration	0,004	mg/l
Type of value	PNEC	
Туре	Water (intermittent release)	
Concentration	0,098	mg/l
Type of value	PNEC	
Туре	Sewage treatment plant (STP)	
Concentration	2	mg/l
Type of value	PNEC	
Туре	Freshwater sediment	
Concentration	3,12	mg/kg
Type of value	PNEC	
Туре	Marine sediment	
Concentration	0,312	mg/kg
Type of value	PNEC	
Туре	Soil	
Concentration	0,573	mg/kg
4,4'-Isopropylidenediphenol with acrylic acid	l, oligomeric reaction products with 1-o	chloro-2,3-epoxypropane, esters
Type of value	PNEC	
Туре	Freshwater	
Concentration	0,1	mg/l

Frade name: Fotoplast S hart		
Substance number: 71424	Version: 1 / GB	Date revised: 14.03.202
	Replaces Version: - / GB	Print date: 14.03.20
Type of value	PNEC	
Туре	Saltwater	
Concentration	0,01	mg/l
Type of value	PNEC	
Туре	Freshwater sediment	
Concentration	35,8	mg/kg
Type of value	PNEC	
Туре	Marine sediment	
Concentration	3,58	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	71	mg/kg
Type of value	PNEC	
Туре	Sewage treatment plant (STP)	
Concentration	10	mg/l
Hydroxylpropyl methacrylate	a	
Reference substance	Hydroxylpropyl methacrylate	
Type of value	PNEC	
Туре	Freshwater	
Concentration	0,904	mg/l
	Hydroxylpropyl methacrylate	
Type of value	PNEC	
Туре	Freshwater sediment	
Concentration	6,28	mg/kg
	Hydroxylpropyl methacrylate	
Type of value	PNEC	
Туре	Soil	
Concentration	0,727	mg/kg
	Hydroxylpropyl methacrylate	
Type of value	PNEC	
Туре	Sewage treatment plant (STP)	
Concentration	10	mg/l
Type of value	PNEC	
Туре	Marine	<i>"</i>
Concentration	0,904	mg/l
Type of value	PNEC	
Туре	Marine sediment	
Concentration	6,28	mg/kg

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Fotoplast S hart

Substance number: 71424

Version: 1/GB Replaces Version: -/GB

Date revised: 14.03.2023 Print date: 14.03.2023

forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material. Hand protection must comply with EN 374. Appropriate Material

Butyl rubber

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid	
Colour	Various, depending on coloration	
Odour	characteristic	
Melting point		
Remarks	not determined	
Freezing point		
Remarks	not determined	
Boiling point or initial boilin	ng point and boiling range	
Value	209	°C
Flammability		
not determined		
Upper and lower explosive	limits	
Remarks	not determined	
Flash point		
Value	> 100	°C
Method	closed cup	
Ignition temperature		
Remarks	not determined	
Decomposition temperature)	
Remarks	not determined	
pH value		
Remarks	not determined	
Viscosity		
Remarks	not determined	
Solubility(ies)		
Remarks	not determined	

-	with regulation (EC) No			
Trade name: Fotoplast S hart				
Substance number: 71424	Version: 1	/ GB		Date revised: 14.03.20
	Replaces	Version: -/GB		Print date: 14.03.20
Partition coefficient n-oc	tanol/water (log valu	e)		
Remarks	not determined			
Vapour pressure				
Remarks	not determined			
Density and/or relative d	ensity			
Value	1,1		g/cm ³	
Temperature	20	°C	Ū	
Relative vapour density				
Remarks	not determined			
9.2. Other information				
Odour threshold				
Remarks	not determined			
Evaporation rate (ether =	= 1) :			
Remarks	not determined			
Solubility in water				
Remarks	virtually insoluble)		
Explosive properties				
evaluation	not determined			
Oxidising properties				
Remarks	not determined			
Other information				
None known				

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

- **10.3. Possibility of hazardous reactions** No hazardous reactions known.
- **10.4. Conditions to avoid** Protect from heat and direct sunlight
- 10.5. Incompatible materials None known
- **10.6. Hazardous decomposition products** Toxic gases/vapours, Irritant gases/vapours

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity

rade name: Fotoplast S hart				
Substance number: 71424		Version: 1/GB	Data ravia	ed: 14.03.202
Substance number: 71424				
		Replaces Version: - / G	B Print da	ate: 14.03.202
ATE	>	10.000	mg/kg	
Method	calcula	ated value (Regulation (EC)		
Acute oral toxicity (Com	ponents)			
Diphenyl(2,4,6-trimethylbo Species	enzoyl)pho rat	osphine oxide		
LD50	>	5000	mg/kg	
Method	OECD	401		
Tetramethylene dimethac	- -			
Species	rat	10066	mallea	
LD50 Method	OECD	10066 0401	mg/kg	
Bisphenol A, ethoxylated				
Species	, aimethac rat	i yial c		
LD50	>	2000	mg/kg	
	nol, oliaom		h 1-chloro-2,3-epoxypropan	e, esters
with acrylic acid		-	, I / I - 	,
Species	Rats (I	male/female)		
LD50	>	2000	mg/kg	
Method	OECD	401		
Hydroxylpropyl methacry				
Species LD50	rat >=	2000	mg/kg	
Method	OECD			
Aliphatic urethane metha				
Species	rat			
LD50	>	2000	mg/kg	
Acute dermal toxicity				
Remarks	Based	on available data, the class	ification criteria are not met.	
Acute dermal toxicity (C	omponen	ts)		
Diphenyl(2,4,6-trimethylb	•	•		
Species	rat			
LD50	>	2000	mg/kg	
Method	OECD	402		
Bisphenol A, ethoxylated	, dimethac	rylate		
Species	rat	0000		
LD50 Method	> OECD	2000	mg/kg	
			h 1-chloro-2,3-epoxypropan	a astars
with acrylic acid		-	ы т-ошого-2,э-ерохургорап	C, COLUIS
Species		male/female)	mallea	
LD50 Method	> OECD	2000 402	mg/kg	
Hydroxylpropyl methacry				
Species	rabbit			
LD50	>	5000	mg/kg	
Aliphatic urethane metha	crylate			
Species	rabbit			
LD50	>	2000	mg/kg	
Acute inhalational toxici	ty			

ade name: Fotoplast S hart		
bstance number: 71424	Version: 1/GB	Date revised: 14.03.202
	Replaces Version: - / GB	Print date: 14.03.202
Aliphatic urethane methacr	vlate	
Remarks	Based on available data, the classification	criteria are not met.
Skin corrosion/irritation		
Remarks	Based on available data, the classification	criteria are not met.
Skin corrosion/irritation (C	Components)	
Aliphatic urethane methacr Remarks	ylate Based on available data, the classification	criteria are not met.
Serious eye damage/irritat	ion	
evaluation	irritant	
Remarks	The classification criteria are met.	
Serious eye damage/irrita	ion (Components)	
Hydroxylpropyl methacryla	e	
Species	rabbit	
evaluation	slightly irritant	
Aliphatic urethane methacr Species	rabbit	
evaluation	irritant	
Sensitization		
evaluation	May cause sensitization by skin contact.	
Remarks	The classification criteria are met.	
Sensitization (Component	s)	
Diphenyl(2,4,6-trimethylben	zoyl)phosphine oxide	
Route of exposure	dermal	
Species evaluation	mouse May cause sensitization by skin contact.	
Tetramethylene dimethacry		
Route of exposure	dermal	
Species	mouse	
evaluation Method	sensitizing OECD 429	
	l, oligomeric reaction products with 1-chlc	no-23-enovypropana esters
with acrylic acid	, ongoinene reaction products with r-cine	bio-2,5-epoxypropane, esters
Route of exposure	dermal	
Species	mouse	
evaluation Method	sensitizing OECD 429	
Hydroxylpropyl methacryla		
Species	mouse	
evaluation	non-sensitizing	
Method Remarks	OECD 429 May cause sensitization by skin contact.	
Aliphatic urethane methacr		
Remarks	Based on available data, the classification	criteria are not met.
Subacute, subchronic, ch		
Remarks	not determined	
Mutagenicity		
Remarks	Based on available data, the classification	criteria are not met.
Mutagenicity (Component	(2	

Safety data sheet in accordance	with regulation (EC) No 1907/2006	Dreve
Trade name: Fotoplast S hart		
Substance number: 71424	Version: 1/GB	Date revised: 14.03.2023
	Replaces Version: - / GB	Print date: 14.03.202
evaluation	Based on available data, the classification crit	teria are not met.
Reproductive toxicity		
Remarks	Based on available data, the classification crit	teria are not met.
Reproduction toxicity (C	components)	
Diphenyl(2,4,6-trimethylb		
evaluation	Suspected of damaging fertility.	
Aliphatic urethane methan Remarks	crylate Based on available data, the classification crit	teria are not met
Carcinogenicity	Dased on available data, the classification of	tena are not met.
Remarks	Based on available data, the classification crit	teria are not met.
Carcinogenicity (Compo	-	
Aliphatic urethane metha	•	
evaluation	Based on available data, the classification crit	teria are not met.
Specific Target Organ To	oxicity (STOT)	
Single exposure Remarks	Based on available data, the classification crit	teria are not met.
Repeated exposure Remarks	Based on available data, the classification crit	
Specific Target Organ To	oxicity (STOT) (Components)	
Aliphatic urethane metha Remarks		teria are not met.
Aspiration hazard	the eleccification criteria are not mot	
,	the classification criteria are not met.	
11.2 Information on other		
	operties with respect to humans tain a substance that has endocrine disrupting pro	operties with respect to
Experience in practice		
	tation of the respiratory tract.	
Other information		
No toxicological data are	available.	
5		
SE	CTION 12: Ecological information	n
12.1. Toxicity		
General information		
not determined		
Fish toxicity (Componen	its)	
Diphenyl(2,4,6-trimethylb	-	
Species	carp (Cyprinus carpio)	
LC50 Duration of exposure	1,4 mg/l 96 h	
Method	96 11 OECD 203	
Tetramethylene dimethac		
Species	golden orfe (Leuciscus idus)	

Safety data sheet in accordance w	vith regulation (EC	C) No 1907/2006	5	Dreve
Trade name: Fotoplast S hart				
Substance number: 71424	Versio	n: 1/GB		Date revised: 14.03.202
	Replac	Replaces Version: - / GB		Print date: 14.03.202
LC50	32,5		mg/l	
Duration of exposure	48	h		
Method	DIN 38412 / Par			
Remarks	Test conducted	with a similar for	mulation.	
Bisphenol A, ethoxylated, c				
Species	rainbow trout (O	ncorhynchus my		
LC50	<u>> 100</u>		mg/l	
Remarks	Test conducted			
4,4'-Isopropylidenedipheno with acrylic acid			vith 1-chloro-2,	3-epoxypropane, esters
Species	carp (Cyprinus o	carpio)		
LC50	> 100		mg/l	
Duration of exposure	96	h		
Method	ISO 7346			
4,4'-Isopropylidenedipheno with acrylic acid	I, oligomeric reac	tion products v	vith 1-chloro-2,	3-epoxypropane, esters
Species	Fathead minnov	v (Pimephales p	romelas)	
NOEC	0,25		mg/l	
Duration of exposure	33	d		
Method	OECD 210			
Hydroxylpropyl methacryla				
Species	golden orfe (Leu	iciscus idus)		
LC50	493	b	mg/l	
Duration of exposure Method	48 DIN 38412 / Par	h + 1 F		
		115		
Daphnia toxicity (Compon	-			
Diphenyl(2,4,6-trimethylber	zoyl)phosphine o	xide		
Species	Daphnia magna			
EC50	3,53		mg/l	
Duration of exposure	48	h		
Method	OECD 202			
Tetramethylene dimethacry				
Species	Daphnia magna			
EC10	7,51	-H	mg/l	
Duration of exposure Method	21 OECD 211	d		
Bisphenol A, ethoxylated, c	•			
Species EC50	Daphnia magna > 100		mg/l	
Duration of exposure	48	h	iiig/i	
Remarks	Test conducted		mulation.	
4,4'-Isopropylidenedipheno				3-epoxypronane esters
with acrylic acid	., engemenerede			
Species	Daphnia magna			
EC50	> 100		mg/l	
Duration of exposure	48	h	-	
Method	OECD 202			
4,4'-Isopropylidenedipheno	I, oligomeric reac	tion products v	vith 1-chloro-2,	3-epoxypropane, esters
with acrylic acid	-	-		·
Species	Daphnia magna			
•	N- 0.51		mg/l	
NOEC	>= 0,51		iiig/i	
NOEC Duration of exposure Method	>= 0,51 21 OECD 211	d	g/	

Trade name: Fotoplast S hart				
Substance number: 71424	Version	n: 1/GB		Date revised: 14.03.202
	Replace	es Version: -/GB	Print date: 14.03.202	
	•			
Species	Daphnia magna			
EC50 Duration of exposure	> 143 48	h	mg/l	
Method	OECD 202	11		
Hydroxylpropyl methacry	late			
Species	Daphnia magna			
NOEC	45,2		mg/l	
Duration of exposure Method	21 OECD 211	d		
Algae toxicity (Compone				
Diphenyl(2,4,6-trimethylb	•	vida		
Species	Pseudokirchnerie			
EC50	> 2,01	ina ousoapitata	mg/l	
Duration of exposure	72	h	0	
Method	OECD 201			
Tetramethylene dimethac		haniaatus		
Species EC50	Scenedesmus su 9,79	ibspicatus	mg/l	
Duration of exposure	9,79 72	h	mg/i	
Method	OECD 201			
Bisphenol A, ethoxylated	, dimethacrylate			
Species	Pseudokirchnerie	ella subcapitata		
EC50	> 100	L.	mg/l	
Duration of exposure Method	72 OECD 201	h		
Remarks		vith a similar formu	ulation.	
4,4'-Isopropylidenedipher	nol, oligomeric react	ion products with	1-chloro-2	,3-epoxypropane, esters
with acrylic acid				
Species ErC50	Pseudokirchnerie	ella subcapitata		
Duration of exposure	105 72	h	mg/l	
Method	OECD 201			
Hydroxylpropyl methacry	late			
Species	Pseudokirchnerie	ella subcapitata		
EC50	> 97,2	L.	mg/l	
Duration of exposure Method	72 OECD 201	h		
Bacteria toxicity (Compo				
		viale		
Diphenyl(2,4,6-trimethylb Species	activated sludge	kide		
EC50	> 1000		mg/l	
Duration of exposure	3	h		
Method	OECD 209			
Tetramethylene dimethac				
Species NOEC	activated sludge 20		ma/l	
Duration of exposure	20 28	d	mg/l	
Bisphenol A, ethoxylated		-		
Species	activated sludge			
NOEC	14,3		mg/l	
Duration of exposure Remarks	28 Test conducted v	d		

Trada nama: Estanlast & hart				
Trade name: Fotoplast S hart				
Substance number: 71424	Version: 1 / GB Replaces Version: - / GB			Date revised: 14.03.2023
				Print date: 14.03.202
with acrylic acid				
Species	activated sludge			
EC50	> 1000		mg/l	
Duration of exposure Method	3 OECD 209	h		
12.2. Persistence and degrad	lability			
General information				
not determined				
Biodegradability (Compone	ents)			
Diphenyl(2,4,6-trimethylben:	zoyl)phosphine o	xide		
Value	< 0		10 %	
Duration of test	28	d		
evaluation	not readily degra	lable		
Tetramethylene dimethacryl Value	84		%	
Duration of test	28	d	,,,	
evaluation	Readily biodegra	idable (acc	ording to OECD cri	teria)
Bisphenol A, ethoxylated, di	•			
Value Duration of test	24 28	d	%	
evaluation	readily degradab	-		
Remarks	Test conducted		ar formulation.	
4,4'-Isopropylidenediphenol with acrylic acid	, oligomeric react	ion produ	cts with 1-chloro-2	2,3-epoxypropane, esters
Value	42		%	
Duration of test	28	d		
evaluation	biodegradable			
Ready degradability (Comp	oonents)			
Hydroxylpropyl methacrylat			2 (
Value Duration of test	81 28	Days	%	
		Days		
12.3. Bioaccumulative poten	tial			
General information not determined				
Partition coefficient n-octa	nol/watar (log y	alua)		
Remarks	not determine	•		
Octanol/water partition coe			onents)	
-			onentsy	
Diphenyl(2,4,6-trimethylben: log Pow	3,1	xide		
Temperature	23	°C		
Tetramethylene dimethacryl	ate			
log Pow	3,1			
Temperature	20	°C		
Bisphenol A, ethoxylated, di log Pow	methacrylate 4,39			
4,4'-Isopropylidenediphenol	, oligomeric react	ion produ	cts with 1-chloro-2	2,3-epoxypropane, esters
with acrylic acid log Pow		to	3,8	-
	< 1.6		0.0	

Frade name: Fotoplast S ha		4/00		
Substance number: 71424	Version:			Date revised: 14.03.20
	Replace	s Version:	-/GB	Print date: 14.03.2
log Pow	0,97			
Temperature Bioconcentration f	20 actor (BCF) (Component	°C		
	ethylbenzoyl)phosphine ox	•		
BCF	47	to	55	
Concentration Duration of exposu	0,1 mg/l re 8 Weeks			
Medium	Freshwater			
Species	carp (Cyprinus	carpio)		
12.4. Mobility in soil				
General information not determined	n			
	and vPvB assessment			
General information				
not determined				
Results of PBT and	l vPvB assessment			
•	ns no PBT substances ns no vPvB substances.			
12.6 Endocrine disrup	oting properties			
-	ng properties with respendent of contain a substance that h			erties with respect to non-
12.7. Other adverse et	ffects			
General information				
not determined				
General information				
Do not allow to ente	er soil, waterways or waste w	ater canal.	Avoid release into	the atmosphere.
	SECTION 13: Disp	osal co	nsiderations	
13.1. Waste treatment	methods			
Disposal recomme	ndations for the product			
	ed together with household g			
•	ccording to applicable legisla ndations for packaging	tion.		
•	not be cleaned should be dis	posed off a	s product waste.	
0.0			•	
	SECTION 14: Tra	nsport i	nformation	
	Land transport ADR/RID		ine transport DG/GGVSee	Air transport ICAO/IAT

