

Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Fotoplast S IO clear transparent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Light-curing material for the production of earmolds

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

DE-59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research & Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.com

for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

Skin Sens. 1 H317

Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Hazard statements

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264.1	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501.1	Dispose of contents/container to industrial incineration plant.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains	Tetramethylene dimethacrylate; Hydroxypropyl methacrylate; 7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate
----------	---

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients *****3.2. Mixtures****Hazardous ingredients *******Tetramethylene dimethacrylate**

CAS No.	2082-81-7
EINECS no.	218-218-1
Registration no.	01-2119967415-30
Concentration	>= 10 < 25 %
Classification (Regulation (EC) No. 1272/2008)	Skin Sens. 1B H317

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

CAS No.	72869-86-4
EINECS no.	276-957-5
Registration no.	01-2120751202-68
Concentration	>= 10 < 25 %
Classification (Regulation (EC) No. 1272/2008)	Skin Sens. 1B H317 Aquatic Chronic 2 H411

Aliphatic urethane methacrylate

EINECS no.	933-881-3
Concentration	>= 10 < 25 %
Classification (Regulation (EC) No. 1272/2008)	Eye Irrit. 2 H319



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Hydroxypropyl methacrylate

CAS No.	27813-02-1			
EINECS no.	248-666-3			
Registration no.	01-2119490226-37			
Concentration	>= 10	<	25	%
Classification (Regulation (EC) No. 1272/2008)	Eye Irrit. 2		H319	
	Skin Sens. 1		H317	

ATE	oral	2.000	mg/kg
-----	------	-------	-------

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

CAS No.	75980-60-8			
EINECS no.	278-355-8			
Registration no.	01-2119972295-29			
Concentration	>= 0,1	<	1	%
Classification (Regulation (EC) No. 1272/2008)	Repr. 2		H361f	

Supplemental information

The substance is contained in the Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed**Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Other information**

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,233	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,145	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Tetramethylene dimethacrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	14,5	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	4,2	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	4,3	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	2,5	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,5	mg/kg

Hydroxylpropyl methacrylate

Reference substance	Hydroxylpropyl methacrylate	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Concentration	14,7	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	dermal	
Concentration	4,2	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	dermal	
Concentration	2,5	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Route of exposure	inhalative	
Concentration	8,8	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	oral	
Concentration	2,5	mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,3	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,6	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,7	mg/kg

Predicted No Effect Concentration (PNEC)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Type of value	PNEC	
Type	Saltwater	
Concentration	0,00014	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,115	mg/kg

Type of value	PNEC	
Type	Marine sediment	



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Concentration	0,0115	mg/kg
---------------	--------	-------

Type of value	PNEC
Type	Soil

Concentration	0,0222	mg/kg
---------------	--------	-------

Tetramethylene dimethacrylate

Type of value	PNEC
Type	Freshwater

Concentration	0,043	mg/l
---------------	-------	------

Type of value	PNEC
Type	Saltwater

Concentration	0,004	mg/l
---------------	-------	------

Type of value	PNEC
Type	Water (intermittent release)

Concentration	0,098	mg/l
---------------	-------	------

Type of value	PNEC
Type	Sewage treatment plant (STP)

Concentration	2	mg/l
---------------	---	------

Type of value	PNEC
Type	Freshwater sediment

Concentration	3,12	mg/kg
---------------	------	-------

Type of value	PNEC
Type	Marine sediment

Concentration	0,312	mg/kg
---------------	-------	-------

Type of value	PNEC
Type	Soil

Concentration	0,573	mg/kg
---------------	-------	-------

Hydroxypropyl methacrylate

Reference substance	Hydroxypropyl methacrylate
---------------------	----------------------------

Type of value	PNEC
Type	Freshwater

Concentration	0,904	mg/l
---------------	-------	------

Type of value	Hydroxypropyl methacrylate
Type	PNEC
Type	Freshwater sediment

Concentration	6,28	mg/kg
---------------	------	-------

Type of value	Hydroxypropyl methacrylate
Type	PNEC
Type	Soil

Concentration	0,727	mg/kg
---------------	-------	-------

Type of value	Hydroxypropyl methacrylate
Type	PNEC
Type	Sewage treatment plant (STP)

Concentration	10	mg/l
---------------	----	------



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Type of value	PNEC	
Type	Marine	
Concentration	0,904	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	6,28	mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Type of value	PNEC	
Type	Freshwater	
Concentration	0,01	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	4,56	mg/kg
Type of value	PNEC	
Type	Saltwater	
Concentration	0,001	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,46	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	0,91	mg/kg
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	3,61	mg/l
Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	0,1	mg/l

8.2. Exposure controls**General protective and hygiene measures**

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material nitrile



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid	
Colour	clear, transparent	
Odour	characteristic	
Melting point		
Remarks	not determined	
Freezing point		
Remarks	not determined	
Boiling point or initial boiling point and boiling range		
Value	209	°C
Flammability		
evaluation	not determined	
Upper and lower explosive limits		
Remarks	not determined	
Flash point		
Value	> 100	°C
Method	closed cup	
Ignition temperature		
Remarks	not determined	
Decomposition temperature		
Remarks	not determined	
pH value		
Remarks	not determined	
Viscosity		
Remarks	not determined	
Solubility(ies)		
Remarks	not determined	
Partition coefficient n-octanol/water (log value)		
Remarks	not determined	
Vapour pressure		
Remarks	not determined	
Density and/or relative density		
Remarks	not determined	
Relative vapour density		
Remarks	not determined	

9.2. Other information**Odour threshold**



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks virtually insoluble

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct sunlight

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

ATE	>	10.000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)		

Acute oral toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

Tetramethylene dimethacrylate

Species	rat		
LD50		10066	mg/kg
Method	OECD 401		

Hydroxypropyl methacrylate

Species	rat		
---------	-----	--	--

Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

LD50	>=	2000	mg/kg
Method		OECD 401	

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species		rat	
LD50	>	5000	mg/kg
Method		OECD 401	

Aliphatic urethane methacrylate

Species		rat	
LD50	>	2000	mg/kg

Acute dermal toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Acute dermal toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species		rat	
LD50	>	2000	mg/kg
Method		OECD 402	

Hydroxypropyl methacrylate

Species		rabbit	
LD50	>	5000	mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species		rat	
LD50	>	2000	mg/kg
Method		OECD 402	

Aliphatic urethane methacrylate

Species		rabbit	
LD50	>	2000	mg/kg

Acute inhalational toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Acute inhalative toxicity (Components)**Aliphatic urethane methacrylate**

Remarks	Based on available data, the classification criteria are not met.
---------	---

Skin corrosion/irritation

Remarks	Based on available data, the classification criteria are not met.
---------	---

Skin corrosion/irritation (Components)**Aliphatic urethane methacrylate**

Remarks	Based on available data, the classification criteria are not met.
---------	---

Serious eye damage/irritation

evaluation	irritant
Remarks	The classification criteria are met.

Serious eye damage/irritation (Components)**Hydroxypropyl methacrylate**

Species	rabbit
evaluation	slightly irritant

Aliphatic urethane methacrylate

Species	rabbit
evaluation	irritant

Sensitization

evaluation	May cause sensitization by skin contact.
Remarks	The classification criteria are met.



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Sensitization (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Route of exposure	dermal
Species	mouse
evaluation	May cause sensitization by skin contact.

Tetramethylene dimethacrylate

Route of exposure	dermal
Species	mouse
evaluation	sensitizing
Method	OECD 429

Hydroxypropyl methacrylate

Species	mouse
evaluation	non-sensitizing
Method	OECD 429
Remarks	May cause sensitization by skin contact.

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diylbismethacrylate

Route of exposure	dermal
Species	mouse
evaluation	sensitizing

Aliphatic urethane methacrylate

Remarks	Based on available data, the classification criteria are not met.
---------	---

Subacute, subchronic, chronic toxicity

Remarks	not determined
---------	----------------

Mutagenicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Mutagenicity (Components)**Aliphatic urethane methacrylate**

evaluation	Based on available data, the classification criteria are not met.
------------	---

Reproductive toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Reproduction toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

evaluation	Suspected of damaging fertility.
------------	----------------------------------

Aliphatic urethane methacrylate

Remarks	Based on available data, the classification criteria are not met.
---------	---

Carcinogenicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Carcinogenicity (Components)**Aliphatic urethane methacrylate**

evaluation	Based on available data, the classification criteria are not met.
------------	---

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks	Based on available data, the classification criteria are not met.
---------	---

Repeated exposure

Remarks	Based on available data, the classification criteria are not met.
---------	---

Specific Target Organ Toxicity (STOT) (Components)**Aliphatic urethane methacrylate**

Remarks	Based on available data, the classification criteria are not met.
---------	---



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information**12.1. Toxicity****General information**

not determined

Fish toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	carp (Cyprinus carpio)	
LC50	1,4	mg/l
Duration of exposure	96	h
Method	OECD 203	

Tetramethylene dimethacrylate

Species	golden orfe (Leuciscus idus)	
LC50	32,5	mg/l
Duration of exposure	48	h
Method	DIN 38412 / Part 15	
Remarks	Test conducted with a similar formulation.	

Hydroxypropyl methacrylate

Species	golden orfe (Leuciscus idus)	
LC50	493	mg/l
Duration of exposure	48	h
Method	DIN 38412 / Part 15	

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	zebra fish (Brachydanio rerio)	
LC50	10,1	mg/l
Duration of exposure	96	h
Method	OECD 203	

Daphnia toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	Daphnia magna	
EC50	3,53	mg/l
Duration of exposure	48	h
Method	OECD 202	

Tetramethylene dimethacrylate

Species	Daphnia magna	
EC10	7,51	mg/l
Duration of exposure	21	d



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

Method OECD 211

Hydroxypropyl methacrylate

Species Daphnia magna
 EC50 > 143 mg/l
 Duration of exposure 48 h
 Method OECD 202

Hydroxypropyl methacrylate

Species Daphnia magna
 NOEC 45,2 mg/l
 Duration of exposure 21 d
 Method OECD 211

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species Daphnia magna
 EC50 1,2 mg/l
 Duration of exposure 48 h
 Method OECD 202

Algae toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species Pseudokirchneriella subcapitata
 EC50 > 2,01 mg/l
 Duration of exposure 72 h
 Method OECD 201

Tetramethylene dimethacrylate

Species Scenedesmus subspicatus
 EC50 9,79 mg/l
 Duration of exposure 72 h
 Method OECD 201

Hydroxypropyl methacrylate

Species Pseudokirchneriella subcapitata
 EC50 > 97,2 mg/l
 Duration of exposure 72 h
 Method OECD 201

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species Scenedesmus subspicatus
 EC50 > 0,68 mg/l
 Duration of exposure 72 h
 Method OECD 201

Bacteria toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species activated sludge
 EC50 > 1000 mg/l
 Duration of exposure 3 h
 Method OECD 209

Tetramethylene dimethacrylate

Species activated sludge
 NOEC 20 mg/l
 Duration of exposure 28 d

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species activated sludge
 NOEC >= 36,1 mg/l
 Duration of exposure 14 d

12.2. Persistence and degradability

Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

General information

not determined

Biodegradability (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Value	<	0	to	10	%
Duration of test evaluation		28	d		
not readily degradable					

Tetramethylene dimethacrylate

Value		84			%
Duration of test evaluation		28	d		
Readily biodegradable (according to OECD criteria)					

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diylbismethacrylate

Value		22			%
Duration of test evaluation		28	d		
not readily degradable					

Ready degradability (Components)**Hydroxypropyl methacrylate**

Value		81			%
Duration of test		28	Days		

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

log Pow		3,1		
Temperature		23	°C	

Tetramethylene dimethacrylate

log Pow		3,1		
Temperature		20	°C	

Hydroxypropyl methacrylate

log Pow		0,97		
Temperature		20	°C	

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diylbismethacrylate

log Pow		3,39		
Temperature		20	°C	

Bioconcentration factor (BCF) (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

BCF		47	to	55
Concentration		0,1	mg/l	
Duration of exposure		8	Weeks	
Medium		Freshwater		
Species		carp (Cyprinus carpio)		

12.4. Mobility in soil**General information**

not determined

12.5. Results of PBT and vPvB assessment



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances
The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage.
Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

SECTION 15: Regulatory information



Trade name: Fotoplast S IO clear transparent

Substance number: 71496

Version: 2 / GB

Date revised: 16.05.2024

Replaces Version: 1 / GB

Print date: 16.05.2024

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Other information**

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

Hazard statements listed in Chapter 2/3

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Irrit. 2	Eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.