

Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FotoScreen

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Light-curing lacquer for earmolds

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

DE-59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research & Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.com

for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

Skin Irrit. 2 H315

Eye Irrit. 2 H319

Skin Sens. 1A H317

STOT SE 3 H335

Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms





Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains Methyl methacrylate monomer, stabilized; 2-Propenoic acid, reaction products with dipentaerythritol; Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate; Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'.-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-(1-oxo-2-propenyl)oxy]-

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous ingredients****Methyl methacrylate monomer, stabilized**

CAS No.	80-62-6				
EINECS no.	201-297-1				
Registration no.	01-2119452498-28				
Concentration	>= 25	<	50	%	
Classification (Regulation (EC) No. 1272/2008)	Flam. Liq. 2		H225		
	Skin Irrit. 2		H315		
	Skin Sens. 1		H317		
	STOT SE 3		H335		

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

2-Propenoic acid, reaction products with dipentaerythritol

CAS No. 1384855-91-7



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

EINECS no.	800-838-4			
Registration no.	01-2119980666-22			
Concentration	>= 10	<	25	%
Classification (Regulation (EC) No. 1272/2008)				
	Eye Irrit. 2		H319	
	Skin Sens. 1A		H317	
	Aquatic Chronic 3		H412	

Polyurethane resin

Concentration	>= 10	<	25	%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Irrit. 2		H315	
	Eye Irrit. 2		H319	

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

CAS No.	84434-11-7			
EINECS no.	282-810-6			
Registration no.	01-2119987994-10			
Concentration	>= 2,5	<	10	%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Sens. 1B		H317	
	Aquatic Chronic 2		H411	

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'.-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

CAS No.	84170-74-1			
EINECS no.	617-546-6			
Registration no.	01-2119970213-43			
Concentration	>= 0,1	<	1	%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Sens. 1B		H317	
	Aquatic Chronic 2		H411	

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed**Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings**Non suitable extinguishing media**

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Methyl methacrylate monomer, stabilized

Reference substance	Methyl methacrylate monomer, stabilized	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	208	mg/m ³

Type of value	Methyl methacrylate monomer, stabilized	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	13,7	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
---------------	--------------------------------	--



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

Reference group Worker
 Duration of exposure Short term
 Route of exposure inhalative
 Concentration 416 mg/m³

Type of value Derived No Effect Level (DNEL)
 Reference group Consumer
 Duration of exposure Long term
 Route of exposure dermal
 Mode of action Systemic effects
 Concentration 0,0015 mg/cm²

Type of value Derived No Effect Level (DNEL)
 Reference group Consumer
 Duration of exposure Long term
 Route of exposure dermal
 Mode of action Systemic effects
 Concentration 8,2 mg/kg/d

Type of value Derived No Effect Level (DNEL)
 Reference group Consumer
 Duration of exposure Long term
 Route of exposure oral
 Mode of action Systemic effects
 Concentration 8,2 mg/kg/d

Type of value Derived No Effect Level (DNEL)
 Reference group Consumer
 Duration of exposure Short term
 Route of exposure inhalative
 Concentration 208 mg/m³

Type of value Derived No Effect Level (DNEL)
 Reference group Consumer
 Duration of exposure Long term
 Route of exposure inhalative
 Mode of action Systemic effects
 Concentration 74,3 mg/m³

Predicted No Effect Concentration (PNEC)

Methyl methacrylate monomer, stabilized

Reference substance Methyl methacrylate monomer, stabilized
 Type of value PNEC
 Type Freshwater
 Concentration 0,94 mg/l

Type of value PNEC
 Type Saltwater
 Concentration 0,094 mg/l

Type of value PNEC
 Type Soil
 Concentration 1,48 mg/kg

Type of value PNEC
 Type Freshwater sediment



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

Concentration	10,2	mg/kg
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l
Type of value	PNEC	
Type	Man via the environment	
Concentration	8,2	mg/kg/d
Type of value	PNEC	
Type	Marine sediment	
Concentration	1,2	mg/kg

2-Propenoic acid, reaction products with dipentaerythritol

Type of value	PNEC	
Type	Freshwater	
Concentration	8,9	µg/l
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	1,8	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	38,3	mg/kg
Type of value	PNEC	
Type	Sediment	
Concentration	383	mg/kg
Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	8,9	µg/l
Type of value	PNEC	
Type	Saltwater	
Concentration	0,89	µg/l
Type of value	PNEC	
Type	Soil	
Concentration	60	µg/l

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material Butyl rubber

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid	
Colour	colourless	
Odour	characteristic	
Melting point		
Remarks	not determined	
Freezing point		
Remarks	not determined	
Boiling point or initial boiling point and boiling range		
Value	101	°C
Flammability		
evaluation	not determined	
Upper and lower explosive limits		
Remarks	not determined	
Flash point		
Value	10	°C
Method	closed cup	
Ignition temperature		
Remarks	not determined	
Decomposition temperature		
Remarks	not determined	
pH value		
Remarks	not determined	
Viscosity		
Remarks	not determined	
Solubility(ies)		
Remarks	not determined	
Partition coefficient n-octanol/water (log value)		
Remarks	not determined	
Vapour pressure		
Remarks	not determined	
Density and/or relative density		
Value	1,04	g/cm ³



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information**Odour threshold**

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks virtually insoluble

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct sunlight

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)**Methyl methacrylate monomer, stabilized**Species rat
LD50 appr. 7900 mg/kg

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'.-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

2-propenyl)oxy]-

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

2-Propenoic acid, reaction products with dipentaerythritol

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 423		

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

Polyurethane resin

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	rabbit		
LD50	>	5000	mg/kg
Method	OECD 402		

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

2-Propenoic acid, reaction products with dipentaerythritol

Species	rabbit		
LD50	>	2000	mg/kg
Remarks	Test conducted with a similar formulation.		

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

Polyurethane resin

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	rat		
LC50		29,8	mg/l
Duration of exposure	4	h	
Administration/Form	Vapors		

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

Species	rat		
LC50	>	2	mg/l
Duration of exposure	4	h	
Method	OECD 403		

Skin corrosion/irritation

Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

evaluation irritant
Remarks The classification criteria are met.

Skin corrosion/irritation (Components)**Methyl methacrylate monomer, stabilized**

Species Human
evaluation irritant

Polyurethane resin

evaluation slightly irritant

Serious eye damage/irritation

evaluation irritant
Remarks The classification criteria are met.

Serious eye damage/irritation (Components)**2-Propenoic acid, reaction products with dipentaerythritol**

Species rabbit
evaluation irritant

Polyurethane resin

evaluation slightly irritant

Sensitization

evaluation May cause sensitization by skin contact.
Remarks The classification criteria are met.

Sensitization (Components)**Methyl methacrylate monomer, stabilized**

Route of exposure dermal
Species mouse
evaluation sensitizing
Method OECD 429

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

Species mouse
evaluation sensitizing
Method OECD 429

2-Propenoic acid, reaction products with dipentaerythritol

Route of exposure dermal
Species mouse
evaluation sensitizing
Method OECD 429

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Species mouse
evaluation sensitizing
Method OECD 429

Polyurethane resin

Route of exposure dermal
evaluation Allergic reaction possible.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks The classification criteria are met.
evaluation May cause respiratory irritation.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) (Components)**Methyl methacrylate monomer, stabilized****Single exposure**

evaluation May cause respiratory irritation.
Route of exposure inhalative

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information**12.1. Toxicity****General information**

not determined

Fish toxicity (Components)**Methyl methacrylate monomer, stabilized**

LC50 833 mg/l
Duration of exposure 96 h

Methyl methacrylate monomer, stabilized

Species zebra fish (Brachydanio rerio)
NOEC 9,4 mg/l
Duration of exposure 35 d
Method OECD 210

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

Species zebra fish (Brachydanio rerio)
LC50 2,7 mg/l
Duration of exposure 96 h
Method OECD 203

2-Propanoic acid, reaction products with dipentaerythritol

Species carp (Cyprinus carpio)
LL50 13 mg/l
Duration of exposure 96 h



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

Method	OECD 203		
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate			
Species	zebra fish (Brachydanio rerio)		
LC50	1,89		mg/l
Duration of exposure	96	h	
Method	OECD 203		

Daphnia toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	Daphnia magna		
EC50	69		mg/l
Duration of exposure	48	h	

Methyl methacrylate monomer, stabilized

Species	Daphnia magna		
NOEC	37		mg/l
Duration of exposure	21	d	
Method	OECD 211		

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

Species	Daphnia magna		
EC50	37		mg/l
Duration of exposure	48	h	
Method	OECD 202		

2-Propenoic acid, reaction products with dipentaerythritol

Species	Daphnia magna		
EL50	35		mg/l
Duration of exposure	48	h	
Method	OECD 202		

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Species	Daphnia magna		
EC50	2,26		mg/l
Duration of exposure	48	h	
Method	OECD 202		

Algae toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	Pseudokirchneriella subcapitata		
EC50	> 110		mg/l
Duration of exposure	72	h	
Method	OECD 201		

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

Species	Pseudokirchneriella subcapitata		
EC50	11		mg/l
Duration of exposure	72	h	
Method	OECD 201		

2-Propenoic acid, reaction products with dipentaerythritol

Species	Pseudokirchneriella subcapitata		
ErC50	> 36		mg/l
Duration of exposure	72	h	
Method	OECD 201		

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Species	Desmodesmus subspicatus		
EC50	1,01		mg/l
Duration of exposure	72	h	



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

Method OECD 201

Bacteria toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	activated sludge	
NOEC	> 100	mg/l
Duration of exposure	14	d

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

Species	activated sludge	
NOEC	1	mg/l
Duration of exposure	28	Days

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Species	activated sludge	
EC50	> 1000	mg/l
Duration of exposure	3	h
Method	OECD 209	

12.2. Persistence and degradability**General information**

not determined

Biodegradability (Components)**2-Propenoic acid, reaction products with dipentaerythritol**

evaluation not readily degradable

Ready degradability (Components)**Methyl methacrylate monomer, stabilized**

Value	94	%
Duration of test	14	d

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

Value	41	%
Duration of test	28	d

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

Value	< 10	%
Duration of test	28	d

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)**Methyl methacrylate monomer, stabilized**

log Pow	1,38	
Temperature	20	°C
Method	OECD 107	

Poly[oxy(methyl-1,2-ethanediyl)],.alpha.,.alpha'-(2,2-dimethyl-1,3-propanediyl)bis[.omega.-[(1-oxo-2-propenyl)oxy]-

log Pow 1 to 4,86

2-Propenoic acid, reaction products with dipentaerythritol

log Pow 4,55

Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate



Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

log Pow	2,91
Temperature	25 °C
Method	Regulation (EC) No. 440/2008, Annex, A.8

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances
The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage.
Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

SECTION 14: Transport information

Trade name: FotoScreen




Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	1247	1247	1247
14.2. UN proper shipping name	METHYL METHACRYLATE MONOMER, STABILIZED, Solution	METHYL METHACRYLATE MONOMER, STABILIZED, Solution	METHYL METHACRYLATE MONOMER, STABILIZED, Solution
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 I	1 I	
Transport category	2		
14.5. Environmental hazards	-		
Tunnel restriction code	D/E		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1A	H317	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 3	H412	Calculation method

Hazard statements listed in Chapter 2/3

Trade name: FotoScreen

Substance number: 9097FS

Version: 1 / GB

Date revised: 08.05.2024

Replaces Version: - / GB

Print date: 08.05.2024

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 2	Flammable liquid, Category 2
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, Category 1A
Skin Sens. 1B	Skin sensitization, Category 1B
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
 This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.