

Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FotoTec DLP.A opaque

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Light-curing material for the production of earmolds by means of 3D printing processes

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

DE-59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research & Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.com

for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

Skin Sens. 1 H317

Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Hazard statements

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264.1	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501.1	Dispose of contents/container to industrial incineration plant.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains	2-hydroxyethyl methacrylate; Hydroxypropyl methacrylate; 7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate; Propylidynetrimethanol, ethoxylated, esters with acrylic acid
----------	--

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients *****3.2. Mixtures****Hazardous ingredients *******2-hydroxyethyl methacrylate**

CAS No.	868-77-9
EINECS no.	212-782-2
Registration no.	01-2119490169-29
Concentration	>= 1 < 6,3 %
Classification (Regulation (EC) No. 1272/2008)	
	Skin Irrit. 2 H315
	Eye Irrit. 2 H319
	Skin Sens. 1 H317

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

CAS No.	72869-86-4
EINECS no.	276-957-5
Registration no.	01-2120751202-68
Concentration	>= 2,5 < 10 %
Classification (Regulation (EC) No. 1272/2008)	
	Skin Sens. 1B H317
	Aquatic Chronic 2 H411

Aliphatic urethane methacrylate

EINECS no.	933-881-3
------------	-----------

Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Concentration	>=	1	<	10	%
Classification (Regulation (EC) No. 1272/2008)					
				H319	
Eye Irrit. 2					

Hydroxypropyl methacrylate

CAS No.	27813-02-1				
EINECS no.	248-666-3				
Registration no.	01-2119490226-37				
Concentration	>=	1	<	10	%
Classification (Regulation (EC) No. 1272/2008)					
				H319	
Eye Irrit. 2					
				H317	
Skin Sens. 1					

ATE oral 2.000 mg/kg

Acrylic Resin

Concentration	>=	1	<	3,6	%
Classification (Regulation (EC) No. 1272/2008)					
				H315	
Skin Irrit. 2					
				H319	
Eye Irrit. 2					

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

CAS No.	75980-60-8				
EINECS no.	278-355-8				
Registration no.	01-2119972295-29				
Concentration	>=	1	<	3	%
Classification (Regulation (EC) No. 1272/2008)					
				H361f	
Repr. 2					

Supplemental information

The substance is contained in the Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

CAS No.	28961-43-5				
EINECS no.	500-066-5				
Registration no.	01-2119489900-30				
Concentration	>=	0,1	<	1	%
Classification (Regulation (EC) No. 1272/2008)					
				H319	
Eye Irrit. 2					
				H317	
Skin Sens. 1B					
				H412	
Aquatic Chronic 3					

SECTION 4: First aid measures

4.1. Description of first aid measures**General information**

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed**Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition! Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,233	mg/kg/d

Type of value	Derived No Effect Level (DNEL)
Reference group	Consumer



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,145	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d
2-hydroxyethyl methacrylate		
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	4,9	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,39	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	1,45	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,83	mg/kg/d
Hydroxypropyl methacrylate		
Reference substance	Hydroxypropyl methacrylate	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Concentration	14,7	mg/m ³
	Hydroxypropyl methacrylate	



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	dermal	
Concentration	4,2	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	dermal	
Concentration	2,5	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	inhalative	
Concentration	8,8	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	oral	
Concentration	2,5	mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahehexadecane-1,16-diylbismethacrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,3	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,6	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,7	mg/kg



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	37	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	10,5	mg/kg

Predicted No Effect Concentration (PNEC)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Type of value	PNEC	
Type	Saltwater	
Concentration	0,00014	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,115	mg/kg

Type of value	PNEC	
Type	Marine sediment	
Concentration	0,0115	mg/kg

Type of value	PNEC	
Type	Soil	
Concentration	0,0222	mg/kg

2-hydroxyethyl methacrylate

Type of value	PNEC	
Type	Freshwater	
Concentration	0,482	mg/l

Type of value	PNEC	
Type	Soil	
Concentration	0,476	mg/kg

Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	3,79	mg/kg

Type of value	PNEC	
Type	Saltwater	
Concentration	0,482	mg/l

Type of value	PNEC	
---------------	------	--



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Type	Marine sediment	
Concentration	3,79	mg/kg
Type of value	PNEC	
Type	Man via the environment	
Concentration	0,83	mg/kg/d
Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	1	mg/l

Hydroxypropyl methacrylate

Reference substance	Hydroxypropyl methacrylate	
Type of value	PNEC	
Type	Freshwater	
Concentration	0,904	mg/l
Type of value	Hydroxypropyl methacrylate	
Type	PNEC	
Type	Freshwater sediment	
Concentration	6,28	mg/kg
Type of value	Hydroxypropyl methacrylate	
Type	PNEC	
Type	Soil	
Concentration	0,727	mg/kg
Type of value	Hydroxypropyl methacrylate	
Type	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l
Type of value	PNEC	
Type	Marine	
Concentration	0,904	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	6,28	mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Type of value	PNEC	
Type	Freshwater	
Concentration	0,01	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	4,56	mg/kg
Type of value	PNEC	
Type	Saltwater	
Concentration	0,001	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,46	mg/kg



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Type of value	PNEC		
Type	Soil		
Concentration	0,91		mg/kg
Type of value	PNEC		
Type	Sewage treatment plant (STP)		
Concentration	3,61		mg/l
Type of value	PNEC		
Type	Water (intermittent release)		
Concentration	0,1		mg/l

Propylidyntrimethanol, ethoxylated, esters with acrylic acid

Type of value	PNEC		
Type	Freshwater		
Concentration	0,002		mg/l
Type of value	PNEC		
Type	Saltwater		
Concentration	0,0002		mg/l
Type of value	PNEC		
Type	Sewage treatment plant (STP)		
Concentration	10		mg/l
Type	Freshwater sediment		
Concentration	0,038		mg/kg
Type of value	PNEC		
Type	Marine sediment		
Concentration	0,004		mg/kg
Type of value	PNEC		
Type	Soil		
Concentration	0,006		mg/kg

8.2. Exposure controls**General protective and hygiene measures**

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material nitrile



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Physical state**

liquid

Colour

Various, depending on coloration

Odour

characteristic

Melting point

Remarks

not determined

Freezing point

Remarks

not determined

Boiling point or initial boiling point and boiling range

Value

213

°C

Flammability

evaluation

not determined

Upper and lower explosive limits

Remarks

not determined

Flash point

Value

106

°C

Method

closed cup

Auto-ignition temperature

Remarks

not determined

Decomposition temperature

Remarks

not determined

pH value

Remarks

not determined

Viscosity

Remarks

not determined

Solubility(ies)

Remarks

not determined

Partition coefficient n-octanol/water (log value)

Remarks

not determined

Vapour pressure

Remarks

not determined

Density and/or relative density

Value

1,11

g/cm³

Temperature

20

°C

Relative vapour density

Remarks

not determined

9.2. Other information



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks virtually insoluble

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct sunlight

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

ATE	>	10.000	mg/kg
Method		calculated value (Regulation (EC) No. 1272/2008)	

Acute oral toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	rat		
LD50	>	5000	mg/kg
Method		OECD 401	

2-hydroxyethyl methacrylate

Species	rat		
LD50	>	5564	mg/kg

Hydroxypropyl methacrylate



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Species	rat		
LD50	>=	2000	mg/kg
Method	OECD 401		

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 401		

Acrylic Resin

LD50	>	2000	mg/kg
------	---	------	-------

Aliphatic urethane methacrylate

Species	rat		
LD50	>	2000	mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

2-hydroxyethyl methacrylate

Species	hamster		
LD50	>	5000	mg/kg
Remarks	Test conducted with a similar formulation.		

Hydroxypropyl methacrylate

Species	rabbit		
LD50	>	5000	mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species	rabbit		
LD50	>	13200	mg/kg

Acrylic Resin

LD50	>	2000	mg/kg
------	---	------	-------

Aliphatic urethane methacrylate

Species	rabbit		
LD50	>	2000	mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)**Acrylic Resin**

LC50	>	5	mg/l
Duration of exposure	4	h	
Administration/Form	Dust/Mist		

Aliphatic urethane methacrylate

Remarks Based on available data, the classification criteria are not met.



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation (Components)**Acrylic Resin**

evaluation irritant

Aliphatic urethane methacrylate

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

evaluation irritant

Remarks The classification criteria are met.

Serious eye damage/irritation (Components)**2-hydroxyethyl methacrylate**Species rabbit
evaluation slightly irritant**Hydroxypropyl methacrylate**Species rabbit
evaluation slightly irritant**Propylidynetrimethanol, ethoxylated, esters with acrylic acid**Species rabbit
evaluation irritant
Method OECD 405**Acrylic Resin**

evaluation irritant

Aliphatic urethane methacrylateSpecies rabbit
evaluation irritant**Sensitization**evaluation May cause sensitization by skin contact.
Remarks The classification criteria are met.**Sensitization (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**Route of exposure dermal
Species mouse
evaluation May cause sensitization by skin contact.**2-hydroxyethyl methacrylate**

Remarks Possible sensitization potential with human beings.

Hydroxypropyl methacrylateSpecies mouse
evaluation non-sensitizing
Method OECD 429
Remarks May cause sensitization by skin contact.**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**Route of exposure dermal
Species mouse
evaluation sensitizing**Propylidynetrimethanol, ethoxylated, esters with acrylic acid**Route of exposure dermal
Species guinea pig
evaluation sensitizing
Method OECD 406



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Aliphatic urethane methacrylate

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity (Components)**Aliphatic urethane methacrylate**

evaluation Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Reproduction toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

evaluation Suspected of damaging fertility.

Aliphatic urethane methacrylate

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity (Components)**Aliphatic urethane methacrylate**

evaluation Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) (Components)**Aliphatic urethane methacrylate**

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information**12.1. Toxicity****General information**



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

not determined

Fish toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	carp (Cyprinus carpio)	
LC50	1,4	mg/l
Duration of exposure	96	h
Method	OECD 203	

2-hydroxyethyl methacrylate

Species	Oryzias latipes	
LC50	> 100	mg/l
Duration of exposure	96	h
Method	OECD 203	

Hydroxypropyl methacrylate

Species	golden orfe (Leuciscus idus)	
LC50	493	mg/l
Duration of exposure	48	h
Method	DIN 38412 / Part 15	

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	zebra fish (Brachydanio rerio)	
LC50	10,1	mg/l
Duration of exposure	96	h
Method	OECD 203	

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species	Zebrabaerbling	
LC50	1,95	mg/l
Duration of exposure	96	h
Method	OECD 203	

Daphnia toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	Daphnia magna	
EC50	3,53	mg/l
Duration of exposure	48	h
Method	OECD 202	

2-hydroxyethyl methacrylate

Species	Daphnia magna	
EC50	380	mg/l
Duration of exposure	48	h
Method	OECD 202	

2-hydroxyethyl methacrylate

Species	Daphnia magna	
NOEC	24,1	mg/l
Duration of exposure	21	d
Method	OECD 211	

Hydroxypropyl methacrylate

Species	Daphnia magna	
EC50	> 143	mg/l
Duration of exposure	48	h
Method	OECD 202	

Hydroxypropyl methacrylate

Species	Daphnia magna	
NOEC	45,2	mg/l
Duration of exposure	21	d
Method	OECD 211	



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	Daphnia magna	
EC50	1,2	mg/l
Duration of exposure	48	h
Method	OECD 202	

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species	Daphnia magna	
EC50	70,7	mg/l
Duration of exposure	48	h
Method	OECD 202	

Algae toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	Pseudokirchneriella subcapitata	
EC50	> 2,01	mg/l
Duration of exposure	72	h
Method	OECD 201	

2-hydroxyethyl methacrylate

Species	Pseudokirchneriella subcapitata	
EC50	345	mg/l
Duration of exposure	72	h
Method	OECD 201	

Hydroxypropyl methacrylate

Species	Pseudokirchneriella subcapitata	
EC50	> 97,2	mg/l
Duration of exposure	72	h
Method	OECD 201	

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	Scenedesmus subspicatus	
EC50	> 0,68	mg/l
Duration of exposure	72	h
Method	OECD 201	

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species	Scenedesmus subspicatus	
EC50	2,2	mg/l
Duration of exposure	72	h
Method	OECD 201	

Bacteria toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	activated sludge	
EC50	> 1000	mg/l
Duration of exposure	3	h
Method	OECD 209	

2-hydroxyethyl methacrylate

Species	Pseudomonas fluorescens	
EC0	> 3000	mg/l
Duration of exposure	16	h

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	activated sludge	
NOEC	>= 36,1	mg/l
Duration of exposure	14	d

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species	activated sludge	
EC20	292	mg/l



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Duration of exposure 3 h
Method OECD 209

12.2. Persistence and degradability**General information**

not determined

Biodegradability (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Value < 0 to 10 %
Duration of test 28 d
evaluation not readily degradable

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate

Value 22 %
Duration of test 28 d
evaluation not readily degradable

2-hydroxyethyl methacrylate

Value 92 to 100 %
Duration of test 14 d
evaluation Readily biodegradable (according to OECD criteria)

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Value 58 to 61 %
Duration of test 28 d
evaluation Readily biodegradable (according to OECD criteria)

Ready degradability (Components)**Hydroxypropyl methacrylate**

Value 81 %
Duration of test 28 Days

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

log Pow 3,1
Temperature 23 °C

2-hydroxyethyl methacrylate

log Pow 0,42
Temperature 25 °C
Method OECD 107

Hydroxypropyl methacrylate

log Pow 0,97
Temperature 20 °C

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate

log Pow 3,39
Temperature 20 °C

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

log Pow 2,89
Temperature 23 °C
Method OECD 107



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

Bioconcentration factor (BCF) (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

BCF	47	to	55
Concentration	0,1	mg/l	
Duration of exposure	8	Weeks	
Medium	Freshwater		
Species	carp (Cyprinus carpio)		

12.4. Mobility in soil**General information**

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties**Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects**General information**

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

SECTION 14: Transport information ***



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Date revised: 22.07.2024

Replaces Version: 2 / GB

Print date: 22.07.2024

	Land transport ADR/RID ***	Marine transport IMDG/GGVSee ***	Air transport ICAO/IATA ***
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

Hazard statements listed in Chapter 2/3

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Irrit. 2	Eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B



Trade name: FotoTec DLP.A opaque

Substance number: S0014

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 22.07.2024

Print date: 22.07.2024

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.