

Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

FotoTec SL.A opaque

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

Light-curing material for the production of earmolds by means of 3D printing processes

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

DE-59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research &amp; Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.com

for this SDS

### 1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317

Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Hazard pictograms



#### Signal word

Warning

#### Hazard statements



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P501.1 Dispose of contents/container to industrial incineration plant.

**Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)**

contains Tetramethylene dimethacrylate; 7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diylbismethacrylate; Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

**2.3. Other hazards**

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**SECTION 3: Composition/information on ingredients \*\*\*****3.2. Mixtures****Hazardous ingredients \*\*\*****7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diylbismethacrylate**

CAS No.	72869-86-4		
EINECS no.	276-957-5		
Registration no.	01-2120751202-68		
Concentration	>= 10	<	25 %
Classification (Regulation (EC) No. 1272/2008)	Skin Sens. 1B	H317	
	Aquatic Chronic 2	H411	

**Tetramethylene dimethacrylate**

CAS No.	2082-81-7		
EINECS no.	218-218-1		
Registration no.	01-2119967415-30		
Concentration	>= 1	<	10 %
Classification (Regulation (EC) No. 1272/2008)	Skin Sens. 1B	H317	

**Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

CAS No.	162881-26-7		
EINECS no.	423-340-5		
Registration no.	01-2119489401-38		
Concentration	>= 1	<	10 %
Classification (Regulation (EC) No. 1272/2008)	Skin Sens. 1A	H317	
	Aquatic Chronic 4	H413	

Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

#### After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

#### After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

#### After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

#### Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

### 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist, Extinguishing measures to suit surroundings

#### Non suitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues

Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition! Keep container tightly closed.

#### Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

#### Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

## SECTION 8: Exposure controls/personal protection



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

## 8.1. Control parameters

### Other information

Contains no substances with occupational exposure limit values.

### Derived No/Minimal Effect Levels (DNEL/DMEL)

#### Tetramethylene dimethacrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	14,5	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	4,2	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	4,3	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	2,5	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,5	mg/kg

#### 7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,3	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,3	mg/kg



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,6	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,7	mg/kg

**Predicted No Effect Concentration (PNEC)****Tetramethylene dimethacrylate**

Type of value	PNEC	
Type	Freshwater	
Concentration	0,003	mg/l

Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	20	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,12	mg/kg

Type of value	PNEC	
Type	Marine sediment	
Concentration	0,012	mg/kg

Type of value	PNEC	
Type	Soil	
Concentration	0,022	mg/kg

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**

Type of value	PNEC	
Type	Freshwater	
Concentration	0,01	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	4,56	mg/kg

Type of value	PNEC	
Type	Saltwater	
Concentration	0,001	mg/l



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

Type of value	PNEC		
Type	Marine sediment		
Concentration	0,46	mg/kg	
Type of value	PNEC		
Type	Soil		
Concentration	0,91	mg/kg	
Type of value	PNEC		
Type	Sewage treatment plant (STP)		
Concentration	3,61	mg/l	
Type of value	PNEC		
Type	Water (intermittent release)		
Concentration	0,1	mg/l	

## 8.2. Exposure controls

### General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

### Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

### Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material nitrile

### Eye protection

Safety glasses

### Body protection

Clothing as usual in the chemical industry.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	liquid
<b>Colour</b>	beige
<b>Odour</b>	characteristic
<b>Melting point</b>	
Remarks	not determined
<b>Freezing point</b>	
Remarks	not determined



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

**Boiling point or initial boiling point and boiling range**

Value &lt; 114 °C

**Flammability**

evaluation not determined

**Upper and lower explosive limits**

Remarks not determined

**Flash point**

Value &gt; 100 °C

Method closed cup

**Auto-ignition temperature**

Remarks not determined

**Decomposition temperature**

Remarks not determined

**pH value**

Remarks not determined

**Viscosity**

Remarks not determined

**Solubility(ies)**

Remarks not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Vapour pressure**

Remarks not determined

**Density and/or relative density**Value 1,12 g/cm<sup>3</sup>

Temperature 20 °C

**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks virtually insoluble

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

**SECTION 10: Stability and reactivity**





Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

Protect from heat and direct sunlight

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

Irritant gases/vapours

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute oral toxicity (Components)****Tetramethylene dimethacrylate**

Species	rat		
LD50		10066	mg/kg
Method	OECD 401		

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diylbismethacrylate**

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

**Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 401		

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)****7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diylbismethacrylate**

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

**Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

**Tetramethylene dimethacrylate**

Species	rat (female)		
LD50	>	2000	mg/kg
Method	OECD 402		



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Remarks Based on available data, the classification criteria are not met.

**Sensitization**

evaluation May cause sensitization by skin contact.

Remarks The classification criteria are met.

**Sensitization (Components)****Tetramethylene dimethacrylate**

Route of exposure dermal

Species mouse

evaluation sensitizing

Method OECD 429

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**

Route of exposure dermal

Species mouse

evaluation sensitizing

**Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

Route of exposure dermal

Species guinea pig

evaluation sensitizing

Method OECD 406

**Subacute, subchronic, chronic toxicity**

Remarks not determined

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**Experience in practice**

Inhalation may lead to irritation of the respiratory tract.

**Other information**

No toxicological data are available.

Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

## SECTION 12: Ecological information

### 12.1. Toxicity

#### General information

not determined

#### Fish toxicity (Components)

##### Tetramethylene dimethacrylate

Species	zebra fish (Brachydanio rerio)		
LC50	3,34		mg/l
Duration of exposure	96	h	
Method	OECD 203		

##### 7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecane-1,16-diylbismethacrylate

Species	zebra fish (Brachydanio rerio)		
LC50	10,1		mg/l
Duration of exposure	96	h	
Method	OECD 203		

##### Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	zebra fish (Brachydanio rerio)		
LC50	> 90		µg/l
Duration of exposure	96	h	
Method	OECD 203		

#### Daphnia toxicity (Components)

##### Tetramethylene dimethacrylate

Species	Daphnia magna		
NOEC	5,09		mg/l
Duration of exposure	21	d	
Method	OECD 211		

##### 7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecane-1,16-diylbismethacrylate

Species	Daphnia magna		
EC50	1,2		mg/l
Duration of exposure	48	h	
Method	OECD 202		

##### Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	Daphnia magna		
EC50	> 1175		µg/l
Duration of exposure	48	h	
Method	OECD 202		

##### Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Species	Daphnia magna		
NOEC	>= 8,1		µg/l
Duration of exposure	21	d	
Method	OECD 211		

#### Algae toxicity (Components)

##### Tetramethylene dimethacrylate

Species	Scenedesmus subspicatus		
EC50	9,79		mg/l
Duration of exposure	72	h	
Method	OECD 201		

##### 7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecane-1,16-diylbismethacrylate



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

Species	Scenedesmus subspicatus	
EC50	> 0,68	mg/l
Duration of exposure	72	h
Method	OECD 201	

**Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

Species	Scenedesmus subspicatus	
EC50	> 260	µg/l
Duration of exposure	72	h
Method	OECD 201	

**Bacteria toxicity (Components)****Tetramethylene dimethacrylate**

Species	activated sludge	
NOEC	20	mg/l
Duration of exposure	28	d

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diylbismethacrylate**

Species	activated sludge	
NOEC	>= 36,1	mg/l
Duration of exposure	14	d

**Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

Species	activated sludge	
EC50	> 100	mg/l
Duration of exposure	3	h
Method	OECD 209	

**12.2. Persistence and degradability****General information**

not determined

**Biodegradability (Components)****Tetramethylene dimethacrylate**

Value	84	%
Duration of test evaluation	28	d
	Readily biodegradable (according to OECD criteria)	

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diylbismethacrylate**

Value	22	%
Duration of test evaluation	28	d
	not readily degradable	

**Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

Value	1	%
Duration of test evaluation	28	d
	not degradable	

**12.3. Bioaccumulative potential****General information**

not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Octanol/water partition coefficient (log Pow) (Components)****Tetramethylene dimethacrylate**

log Pow	3,1	
Temperature	20	°C

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diylbismethacrylate**

log Pow	3,39	
---------	------	--



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

Temperature 20 °C

**Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide**

log Pow 5,8

## 12.4. Mobility in soil

### General information

not determined

## 12.5. Results of PBT and vPvB assessment

### General information

not determined

### Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

## 12.6 Endocrine disrupting properties

### Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## 12.7. Other adverse effects

### General information

not determined

### General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

#### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

## SECTION 14: Transport information



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Date revised: 26.08.2024

Replaces Version: 1 / GB

Print date: 26.08.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other information

All components are contained in the TSCA inventory or exempted.

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

### Hazard statements listed in Chapter 2/3

H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### CLP categories listed in Chapter 2/3

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment, chronic, Category 4
Skin Sens. 1A	Skin sensitization, Category 1A
Skin Sens. 1B	Skin sensitization, Category 1B

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.



Trade name: FotoTec SL.A opaque

Substance number: S0024

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 26.08.2024

Print date: 26.08.2024