

Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

OtoVita Professional Hand Gel

Registration no.

EC No.: 200-661-7

CAS No. 67-63-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

For hygienic handwash without water according to DIN 1499

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research & Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.de

for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

Eye Irrit. 2 H319

STOT SE 3 H336

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms





Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P501.1 Dispose of contents/container to industrial incineration plant.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains Propan-2-ol

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Alcoholic gel based on propan-2-ol with water and auxiliary substances

Hazardous ingredients**Propan-2-ol**

CAS No.	67-63-0		
EINECS no.	200-661-7		
Registration no.	01-2119457558-25		
Concentration	>= 50		%
Classification (Regulation (EC) No. 1272/2008)	Flam. Liq. 2	H225	
	Eye Irrit. 2	H319	
	STOT SE 3	H336	

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

No special measures required

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

After skin contact

No special measures required.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed**Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media**Suitable extinguishing media**

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.



Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Use explosion-proof apparatus and fittings. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Propan-2-ol

List	TRGS 900		
Value	500	mg/m ³	200 ppm(V)
Maximum limit value:	2(II) Pregnancy group: Y; Status: 01/2006; Remarks: DGF		



Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

Biological limit values**Propan-2-ol**

Value	25	mg/l
Parameter	Acetone	
Testing material	Whole blood (B)	
Test date	End of exposure or end of shift (b)	

Propan-2-ol

Value	25	mg/l
Parameter	Acetone	
Testing material	Urine (U)	
Test date	End of exposure or end of shift (b)	

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)**Propan-2-ol**

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	888	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	500	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	319	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	89	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	26	mg/kg/d

Predicted No Effect Concentration (PNEC)**Propan-2-ol**

Type of value	PNEC
Type	Freshwater



Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

Concentration	140,9	mg/l
Type of value	PNEC	
Type	Saltwater	
Concentration	140,9	mg/l
Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	140,9	mg/l
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	2251	mg/l
Type of value	PNEC	
Type	Sediment	
Concentration	552	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	28	mg/kg
Type of value	PNEC	
Type	Secondary poisoning	
Concentration	160	mg/kg

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Not necessary, but do not inhale vapours.

Hand protection

Not necessary.

Eye protection

Use safety eyewear designed to protect against splash of liquids.

Body protection

Not applicable.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless, clear
Odour	alcohol-like
Melting point	
Value	> -88 °C



Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

Freezing point

Value	appr. -88	°C
Source	Literature value	

Boiling point or initial boiling point and boiling range

Value	appr. 82	°C
Source	Literature value	

Flammability

evaluation	not determined
------------	----------------

Upper and lower explosive limits

Lower explosion limit	2	to	12	%(V)
Source	Literature value			

Flash point

Value	20	°C
Method	closed cup	

Ignition temperature

Value	425	°C
Source	Literature value	

Decomposition temperature

Remarks	not determined
---------	----------------

pH value

Value	5	to	7
Concentration/H ₂ O	1	%	
Temperature	20	°C	

Viscosity**dynamic**

Value	2,43	mPa.s
Temperature	20	°C
Source	Literature value	

Solubility(ies)

Remarks	soluble in most organic solvents
---------	----------------------------------

Partition coefficient n-octanol/water (log value)

log Pow	0,05
Source	Literature value

Vapour pressure

Value	43	hPa
Temperature	20	°C
Source	Literature value	

Density and/or relative density

Value	0,876	to	0,880	g/cm ³
-------	-------	----	-------	-------------------

Relative vapour density

Value	2,1
Source	Literature value

9.2. Other information**Odour threshold**

Remarks	not determined
---------	----------------

Evaporation rate

Value	21
-------	----



Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

Source Literature value

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks miscible in all proportions

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

Physical data relate to the solvent.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Toxic gases/vapours, Irritant gases/vapours

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)**Propan-2-ol**

Species	rat	5840	mg/kg
Method	OECD 401		

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)



Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

Propan-2-ol

Species	rat		
	>	10000	ppm(V)
Duration of exposure	6	h	
Administration/Form	Vapors		
Method	OECD 403		

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

evaluation	irritant
Remarks	The classification criteria are met.

Serious eye damage/irritation (Components)**Propan-2-ol**

Species	rabbit
evaluation	irritant
Method	OECD 405

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks	The classification criteria are met.
evaluation	May cause drowsiness or dizziness.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) (Components)**Propan-2-ol****Single exposure**

evaluation	May cause drowsiness or dizziness. Organs: Nervous system
------------	--

Aspiration hazard

Based on available data, the classification criteria are not met.

Aspiration hazard (Components)**Propan-2-ol**

Harmful: may cause lung damage if swallowed.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.



Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information**12.1. Toxicity****General information**

not determined

Fish toxicity (Components)**Propan-2-ol**

Species	Fathead minnow (<i>Pimephales promelas</i>)		
LC50	10000		mg/l
Duration of exposure	96	h	
Method	OECD 203		

Daphnia toxicity (Components)**Propan-2-ol**

Species	Daphnia magna		
LC50	> 10000		mg/l
Duration of exposure	24	h	
Method	OECD 202		

12.2. Persistence and degradability**General information**

not determined

Ready degradability (Components)**Propan-2-ol**

Value	53		%
Duration of test	5	d	

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient n-octanol/water (log value)

log Pow	0,05
Source	Literature value

Octanol/water partition coefficient (log Pow) (Components)**Propan-2-ol**

log Pow	0,05
Temperature	25 °C

12.4. Mobility in soil**General information**

not determined

Mobility in soil (Components)**Propan-2-ol**

Mobile in soils



Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances
The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage.
Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

Trade name: OtoVita Professional Hand Gel




Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	1219	1219	1219
14.2. UN proper shipping name	ISOPROPANOL (ISOPROPYL ALCOHOL), Solution	ISOPROPANOL (ISOPROPYL ALCOHOL), Solution	ISOPROPANOL, Solution
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 I	1 I	
Transport category	2		
14.5. Environmental hazards	-	no -	-
Tunnel restriction code	D/E		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2	H225
Eye Irrit. 2	H319
STOT SE 3	H336

Hazard statements listed in Chapter 2/3

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.



Trade name: OtoVita Professional Hand Gel

Substance number: 18277

Version: 1 / GB

Date revised: 20.09.2023

Replaces Version: - / GB

Print date: 20.09.2023

H336

May cause drowsiness or dizziness.

CLP categories listed in Chapter 2/3

Eye Irrit. 2

Eye irritation, Category 2

Flam. Liq. 2

Flammable liquid, Category 2

STOT SE 3

Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.