

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Thermosoft

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Light-curing material for the production of earmolds

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

DE-59423 Unna

Telephone no.

+49 2303 8807-0

Fax no.

+49 2303 8807-29

Information provided
by / telephone

Department Research & Development: Fax: +49 2303 8807-562

E-mail address of
person responsible
for this SDS

sicherheitsdatenblatt@dreve.com

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

Skin Irrit. 2 H315

Skin Sens. 1 H317

STOT SE 3 H335

Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Danger

Hazard statements

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P501.1	Dispose of contents/container to industrial incineration plant.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains	Methyl methacrylate monomer, stabilized; 7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate; 2-ethylhexyl acrylate
----------	--

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures**Hazardous ingredients****Methyl methacrylate monomer, stabilized**

CAS No.	80-62-6			
EINECS no.	201-297-1			
Registration no.	01-2119452498-28			
Concentration	>= 20	<	25	%
Classification (Regulation (EC) No. 1272/2008)	Flam. Liq. 2	H225		
	Skin Irrit. 2	H315		
	Skin Sens. 1	H317		
	STOT SE 3	H335		

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

2-ethylhexyl acrylate

CAS No.	103-11-7			
EINECS no.	203-080-7			
Registration no.	01-2119453158-37			
Concentration	>= 10	<	20	%
Classification (Regulation (EC) No. 1272/2008)	Aquatic Chronic 3	H412		
	Skin Irrit. 2	H315		

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

	Skin Sens. 1	H317	
	STOT SE 3	H335	
ATE	inhalative, Dust/Mist	1,19	mg/l
7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate			
CAS No.	72869-86-4		
EINECS no.	276-957-5		
Registration no.	01-2120751202-68		
Concentration	>= 1	< 2,5	%
Classification (Regulation (EC) No. 1272/2008)			
	Skin Sens. 1B	H317	
	Aquatic Chronic 2	H411	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 28.04.2025

Print date: 28.04.2025

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition! Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters**Exposure limit values****Methyl methacrylate monomer, stabilized**

Value	50	ppm(V)
Short term exposure limit	100	ppm(V)

Methyl methacrylate monomer, stabilized

Value	208	mg/m ³	50	ppm(V)
Short term exposure limit	416	mg/m ³	100	ppm(V)

2-ethylhexyl acrylate

List	TRGS 900
------	----------

Value	38	mg/m ³	5	ppm(V)
-------	----	-------------------	---	--------

Maximum limit value: 1(I); Skin resorption / sensibilisation: Sh; Pregnancy group: Y; Status: 07/13;
Remarks: DFG

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)**Methyl methacrylate monomer, stabilized**

Reference substance	Methyl methacrylate monomer, stabilized
---------------------	---

Type of value	Derived No Effect Level (DNEL)
---------------	--------------------------------

Reference group	Worker
-----------------	--------

Duration of exposure	Long term
----------------------	-----------

Route of exposure	inhalative
-------------------	------------

Mode of action	Systemic effects
----------------	------------------

Concentration	348,4	mg/m ³
---------------	-------	-------------------

Type of value	Methyl methacrylate monomer, stabilized
	Derived No Effect Level (DNEL)

Reference group	Worker
-----------------	--------

Duration of exposure	Long term
----------------------	-----------

Route of exposure	inhalative
-------------------	------------

Mode of action	Local effects
----------------	---------------

Concentration	208	mg/m ³
---------------	-----	-------------------

Type of value	Derived No Effect Level (DNEL)
---------------	--------------------------------

Reference group	Worker
-----------------	--------

Duration of exposure	Lifetime
----------------------	----------

Route of exposure	inhalative
-------------------	------------

Concentration	416	mg/m ³
---------------	-----	-------------------

Type of value	Derived No Effect Level (DNEL)
---------------	--------------------------------

Reference group	Worker
-----------------	--------

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	13,67	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	1,5	mg/cm ²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	74,3	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	104	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	inhalative	
Concentration	208	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	8,2	mg/kg
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	1,5	mg/cm ²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	8,2	mg/kg/d

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diylbismethacrylate

Type of value	Derived No Effect Level (DNEL)
Reference group	Worker

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,3	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,6	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,7	mg/kg

2-ethylhexyl acrylate

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	dermal	
Mode of action	Acute effects	
Concentration	0,242	mg/cm ²

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Mode of action	Acute effects	
Concentration	37,5	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Mode of action	Chronic effects	
Concentration	37,5	mg/m ³

Predicted No Effect Concentration (PNEC)**Methyl methacrylate monomer, stabilized**

Reference substance	Methyl methacrylate monomer, stabilized
Type of value	PNEC

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Type	Freshwater	
Concentration	0,94	mg/l
Type of value	PNEC	
Type	Saltwater	
Concentration	0,094	mg/l
Type of value	PNEC	
Type	Soil	
Concentration	1,48	mg/kg
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	10,2	mg/kg
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l
Type of value	PNEC	
Type	Man via the environment	
Concentration	8,2	mg/kg/d
Type of value	PNEC	
Type	Marine sediment	
Concentration	1,2	mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Type of value	PNEC	
Type	Freshwater	
Concentration	0,01	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	4,56	mg/kg
Type of value	PNEC	
Type	Saltwater	
Concentration	0,001	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,46	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	0,91	mg/kg
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	3,61	mg/l

2-ethylhexyl acrylate

Type of value	PNEC	
Type	Freshwater	
Concentration	0,00272	mg/l

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,126	mg/kg
Type of value	PNEC	
Type	Saltwater	
Concentration	0,00027	mg/l
Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	0,011	mg/l
Type of value	PNEC	
Type	Soil	
Concentration	1	mg/kg

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material Butyl rubber

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	clear, transparent
Odour	characteristic
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Boiling point or initial boiling point and boiling range

Value 101 °C

Flammability

evaluation not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Value 10 °C

Method closed cup

Auto-ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

Self Accelerating Decomposition / Polymerization Temperature (SADT/SAPT)

Value > 50 °C

pH value

Remarks not determined

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative densityValue 1,05 g/cm³

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information**Odour threshold**

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks virtually insoluble

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct sunlight

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

Methyl methacrylate monomer, stabilized

Species	rat	
LD50	appr. 7900	mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	rat	
LD50	> 5000	mg/kg
Method	OECD 401	

2-ethylhexyl acrylate

Species	rat	
LD50	appr. 4435	mg/kg
Method	OECD 401	

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

Methyl methacrylate monomer, stabilized

Species	rabbit	
LD50	> 5000	mg/kg
Method	OECD 402	

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	rat	
LD50	> 2000	mg/kg
Method	OECD 402	

2-ethylhexyl acrylate

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Species	rabbit	
LD50	7522	mg/kg

Acute inhalational toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Acute inhalative toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	rat	
LC50	29,8	mg/l
Duration of exposure	4	h
Administration/Form	Vapors	

2-ethylhexyl acrylate

Species	rat	
LC0	> 1,19	mg/l
Duration of exposure	8	h
Administration/Form	Dust/Mist	
Method	OECD 403	

Skin corrosion/irritation

evaluation	irritant
Remarks	The classification criteria are met.

Skin corrosion/irritation (Components)**Methyl methacrylate monomer, stabilized**

Species	Human
evaluation	irritant

2-ethylhexyl acrylate

Species	rabbit
evaluation	irritant

Serious eye damage/irritation

Remarks	Based on available data, the classification criteria are not met.
---------	---

Sensitization

evaluation	May cause sensitization by skin contact.
Remarks	The classification criteria are met.

Sensitization (Components)**Methyl methacrylate monomer, stabilized**

Route of exposure	dermal
Species	mouse
evaluation	sensitizing
Method	OECD 429

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diylbismethacrylate

Route of exposure	dermal
Species	mouse
evaluation	sensitizing

2-ethylhexyl acrylate

Route of exposure	dermal
Species	mouse
evaluation	sensitizing
Method	OECD 429

Subacute, subchronic, chronic toxicity

Remarks	not determined
---------	----------------

Mutagenicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks The classification criteria are met.
evaluation May cause respiratory irritation.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) (Components)**Methyl methacrylate monomer, stabilized****Single exposure**

evaluation May cause respiratory irritation.
Route of exposure inhalative

2-ethylhexyl acrylate**Single exposure**

evaluation May cause respiratory irritation.
Route of exposure inhalative

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information

12.1. Toxicity**General information**

not determined

Fish toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	rainbow trout (<i>Oncorhynchus mykiss</i>)		
LC50	85		mg/l
Duration of exposure	96	h	

Methyl methacrylate monomer, stabilized

Species	zebra fish (<i>Brachydanio rerio</i>)		
NOEC	9,4		mg/l
Duration of exposure	35	d	
Method	OECD 210		

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	zebra fish (<i>Brachydanio rerio</i>)	
LC50	10,1	mg/l
Duration of exposure	96	h
Method	OECD 203	

2-ethylhexyl acrylate

Species	rainbow trout (<i>Oncorhynchus mykiss</i>)	
LC50	1,81	mg/l
Duration of exposure	96	h
Source	ECHA	

Daphnia toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	Daphnia magna	
EC50	69	mg/l
Duration of exposure	48	h

Methyl methacrylate monomer, stabilized

Species	Daphnia magna	
NOEC	37	mg/l
Duration of exposure	21	d
Method	OECD 211	

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	Daphnia magna	
EC50	1,2	mg/l
Duration of exposure	48	h
Method	OECD 202	

2-ethylhexyl acrylate

Species	Daphnia magna	
EC50	1,3	mg/l
Duration of exposure	48	h
Method	OECD 202	
Source	ECHA	

2-ethylhexyl acrylate

Species	Daphnia magna	
EC10	0,91	mg/l
Duration of exposure	21	d
Method	OECD 211	
Source	ECHA	

Algae toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	<i>Pseudokirchneriella subcapitata</i>	
EC50	> 110	mg/l
Duration of exposure	72	h
Method	OECD 201	

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species	<i>Scenedesmus subspicatus</i>	
EC50	> 0,68	mg/l
Duration of exposure	72	h
Method	OECD 201	

2-ethylhexyl acrylate

Species	<i>Desmodesmus subspicatus</i>	
EC50	1,71	mg/l
Duration of exposure	72	h
Method	OECD 201	

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

Source ECHA

Bacteria toxicity (Components)**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate**

Species activated sludge
 NOEC >= 36,1 mg/l
 Duration of exposure 14 d

2-ethylhexyl acrylate

Species activated sludge
 EC20 > 1000 mg/l
 Duration of exposure 30 min
 Source ECHA

12.2. Persistence and degradability**General information**

not determined

Biodegradability (Components)**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate**

Value 22 %
 Duration of test 28 d
 evaluation not readily degradable

Methyl methacrylate monomer, stabilized

Value 94 %
 Duration of test 14 d
 evaluation Readily biodegradable (according to OECD criteria)
 Method OECD 301 C

Ready degradability (Components)**2-ethylhexyl acrylate**

Value 70 to 80 %
 Duration of test 15 d
 Source ECHA

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)**Methyl methacrylate monomer, stabilized**

log Pow 1,38
 Temperature 20 °C
 Method OECD 107

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

log Pow 3,39
 Temperature 20 °C

2-ethylhexyl acrylate

log Pow 4,64
 Temperature 25 °C
 Method OECD 107
 Source ECHA

12.4. Mobility in soil

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 28.04.2025

Print date: 28.04.2025

General information

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties**Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects**General information**

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

SECTION 14: Transport information

Trade name: Thermosoft




Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	1247	1247	1247
14.2. UN proper shipping name	METHYL METHACRYLATE MONOMER, STABILIZED, Solution	METHYL METHACRYLATE MONOMER, STABILIZED, Solution	METHYL METHACRYLATE MONOMER, STABILIZED, Solution
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 I	1 I	
Transport category	2		
14.5. Environmental hazards	-		
Tunnel restriction code	D/E		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 3	H412	Calculation method

Hazard statements listed in Chapter 2/3

H225 Highly flammable liquid and vapour.

Trade name: Thermosoft

Substance number: 71484

Version: 2 / GB

Date revised: 28.04.2025

Replaces Version: 1 / GB

Print date: 28.04.2025

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Flam. Liq. 2	Flammable liquid, Category 2
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.