

Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Date revised: 09.01.2024

Replaces Version: - / GB

Print date: 09.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Diluting agent

Registration no.

EC No.: 203-492-7

CAS No. 107-46-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Diluting agent for Lack B eco and Lack B matt

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Otoplastik GmbH

Max-Planck-Straße 31

59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29

Information provided by / telephone Department Research & Development: Fax: +49 2303 8807-562

E-mail address of person responsible sicherheitsdatenblatt@dreve.com

for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

Aquatic Acute 1 H400

Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms





Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Date revised: 09.01.2024

Replaces Version: - / GB

Print date: 09.01.2024

Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
 H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P391 Collect spillage.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P501.1 Dispose of contents/container to industrial incineration plant.

2.3. Other hazards

No special hazards have to be mentioned.

The Substance does not meet PBT-criteria. This substance does not meet the vPvB-criteria. This substance does not have endocrine disrupting properties with respect to humans. This substance does not have endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients**3.1. Substances****Hazardous ingredients****Hexamethyldisiloxane**

CAS No.	107-46-0		
EINECS no.	203-492-7		
Registration no.	01-2119496108-31		
Concentration	>= 50		%
Classification (Regulation (EC) No. 1272/2008)			
	Flam. Liq. 2	H225	
	Aquatic Acute 1	H400	
	Aquatic Chronic 2	H411	

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated clothing immediately and dispose of safely. In case of persistent symptoms consult doctor.

After inhalation

Ensure supply of fresh air. Seek medical advice immediately.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Replaces Version: - / GB

Date revised: 09.01.2024

Print date: 09.01.2024

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical advice immediately.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed**Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away sources of ignition. Ensure adequate ventilation. Use personal protective clothing. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.



Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Date revised: 09.01.2024

Replaces Version: - / GB

Print date: 09.01.2024

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Provide suitable exhaust ventilation at processing machines. Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Use explosion-proof apparatus and fittings. Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store product in closed containers. Protect from heat and direct sunlight

Hints on storage assembly

Do not store with strong oxidizing agents.

Further information on storage conditions

Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Hexamethyldisiloxane

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	dermal	
Concentration	333	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Concentration	53,4	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	oral	
Concentration	0,27	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	dermal	



Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Date revised: 09.01.2024

Replaces Version: - / GB

Print date: 09.01.2024

Concentration	167	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	inhalative	
Concentration	13,3	mg/m ³

Predicted No Effect Concentration (PNEC)**Hexamethyldisiloxane**

Type of value	PNEC	
Type	Freshwater	
Concentration	0,002	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,37	mg/kg
Type of value	PNEC	
Type	Marine	
Concentration	0,0002	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,037	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	0,073	mg/kg
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	>= 10	mg/l

8.2. Exposure controls**General protective and hygiene measures**

Do not smoke during work time. Do not inhale gases/vapours/aerosols. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material Butyl rubber

Eye protection

Tightly fitting safety glasses

Body protection

Clothing as usual in the chemical industry.



Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Date revised: 09.01.2024

Replaces Version: - / GB

Print date: 09.01.2024

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid		
Colour	colourless		
Odour	characteristic		
Melting point			
Value	-59		°C
Freezing point			
Remarks	not determined		
Boiling point or initial boiling point and boiling range			
Value	101		°C
Flammability			
evaluation	Not applicable		
Upper and lower explosive limits			
Remarks	not determined		
Flash point			
Value	-8		°C
Method	closed cup		
Ignition temperature			
Value	310		°C
Decomposition temperature			
Remarks	not determined		
pH value			
Remarks	not determined		
Viscosity			
dynamic			
Value	0,5		mPa.s
Temperature	25	°C	
Solubility(ies)			
Remarks	not determined		
Partition coefficient n-octanol/water (log value)			
Remarks	not determined		
Vapour pressure			
Value	appr. 44,0		hPa
Temperature	20	°C	
Density and/or relative density			
Value	0,764		g/cm ³
Temperature	20	°C	
Relative vapour density			
Remarks	not determined		
9.2. Other information			
Odour threshold			
Remarks	not determined		



Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Date revised: 09.01.2024

Replaces Version: - / GB

Print date: 09.01.2024

Evaporation rate

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks partially miscible

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Solvent content

Value 0,0 %

Other information

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting. Protect from heat and direct sunlight

10.5. Incompatible materials

None known

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)**Hexamethyldisiloxane**

Species	rat	
LD50	> 12160	mg/kg
Method	OECD 401	

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)



Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Date revised: 09.01.2024

Replaces Version: - / GB

Print date: 09.01.2024

Hexamethyldisiloxane

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)**Hexamethyldisiloxane**

Species	rat		
LC50	appr.	106	mg/l
Duration of exposure	4	h	
Method	OECD 403		

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

This substance does not have endocrine disrupting properties with respect to humans.

Other information

No toxicological data are available.

SECTION 12: Ecological information**12.1. Toxicity****General information**

not determined



Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Date revised: 09.01.2024

Replaces Version: - / GB

Print date: 09.01.2024

Fish toxicity (Components)**Hexamethyldisiloxane**

Species	rainbow trout (<i>Oncorhynchus mykiss</i>)	
LC50	0,46	mg/l
Duration of exposure	96	h

Hexamethyldisiloxane

NOEC	0,02	mg/l
Duration of exposure	30	d

Daphnia toxicity (Components)**Hexamethyldisiloxane**

Species	Daphnia magna	
EC50	> 0,93	mg/l
Duration of exposure	48	h

Hexamethyldisiloxane

Species	Daphnia magna	
NOEC	0,08	mg/l
Duration of exposure	21	d
Method	OECD 211	

Algae toxicity (Components)**Hexamethyldisiloxane**

Species	Pseudokirchneriella subcapitata	
ErC50	> 0,55	mg/l
Duration of exposure	95	h
Method	OECD 201	

Bacteria toxicity (Components)**Hexamethyldisiloxane**

Species	activated sludge	
NOEC	>= 100	mg/l
Duration of exposure	3	h
Method	OECD 209	

12.2. Persistence and degradability**General information**

not determined

Biodegradability (Components)**Hexamethyldisiloxane**

Value	2	%
Duration of test evaluation	28	d
	Slightly biodegradable	

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)**Hexamethyldisiloxane**

log Pow	5,06	
Temperature	20	°C

12.4. Mobility in soil



Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Replaces Version: - / GB

Date revised: 09.01.2024

Print date: 09.01.2024

General information

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

Results of PBT and vPvB assessment

The Substance does not meet PBT-criteria.

This substance does not meet the vPvB-criteria.

12.6 Endocrine disrupting properties**Endocrine disrupting properties with respect to the environment**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects**General information**

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

Trade name: Diluting agent







Substance number: 71298

Version: 1 / GB

Date revised: 09.01.2024

Replaces Version: - / GB

Print date: 09.01.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	1993	1993	1993
14.2. UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)	FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)	FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Special provision	640C		
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 5 l / 5 kg	The product can be transported in accordance with IMDG Code paragraph 2.10.2.7, provided packaging not more than 5 l / 5 kg.	The product is not subject to any other provisions of IATA provided packaging of not more than 5 l / 5 kg (A197)
Limited Quantity	1 l	1 l	
Transport category	2		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant  ENVIRONMENTALLY HAZARDOUS	 ENVIRONMENTALLY HAZARDOUS
Tunnel restriction code	D/E		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.



Trade name: Diluting agent

Substance number: 71298

Version: 1 / GB

Replaces Version: - / GB

Date revised: 09.01.2024

Print date: 09.01.2024

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2	H225
Aquatic Acute 1	H400
Aquatic Chronic 2	H411

Hazard statements listed in Chapter 2/3

H225	Highly flammable liquid and vapour.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Flam. Liq. 2	Flammable liquid, Category 2

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.