

Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Diluting agent

Registration no.

EC No.: 203-492-7 CAS No. 107-46-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Diluting agent for Lack B eco and Lack B matt

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Otoplastik GmbH Max-Planck-Straße 31 DE-59423 Unna

Telephone no. +49 2303 8807-0 Fax no. +49 2303 8807-29

Information provided Department Research & Development: Fax: +49 2303 8807-562

by / telephone

E-mail address of sicherheitsdatenblatt@dreve.com

person responsible for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Aquatic Acute 1 H400 Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms





Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

%

Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501.1 Dispose of contents/container to industrial incineration plant.

2.3. Other hazards

No special hazards have to be mentioned.

The Substance does not meet PBT-criteria. This substance does not meet the vPvB-criteria. This substance does not have endocrine disrupting properties with respect to humans. This substance does not have endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous ingredients

Hexamethyldisiloxane

CAS No. 107-46-0 EINECS no. 203-492-7

Registration no. 01-2119496108-31 Concentration >= 50

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Aguatic Acute 1 H400

Aquatic Acute 1 H400 Aquatic Chronic 2 H411

Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

Hexamethyldisiloxane

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. In case of persistent symptoms consult doctor.

After inhalation

Ensure supply of fresh air. Seek medical advice immediately.



Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical advice immediately.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water iet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use personal protective clothing. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Containers in which spilt substance has been collected must be adequately



Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Provide suitable exhaust ventilation at processing machines. Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition! Use explosion-proof apparatus and fittings. Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store product in closed containers. Protect from heat and direct sunlight

Hints on storage assembly

Do not store with strong oxidizing agents.

Further information on storage conditions

Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Hexamethyldisiloxane

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Route of exposure dermal

Concentration 333 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Worker Route of exposure inhalative

Concentration 53,4 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer Route of exposure oral

Concentration 0,27 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group Consumer



Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

mg/l

Route of exposure dermal

Concentration 167 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Route of exposure inhalative

Concentration 13,3 mg/m³

Predicted No Effect Concentration (PNEC)

Hexamethyldisiloxane

Type of value PNEC
Type Freshwater
Concentration 0,003

0,000

Type of value PNEC

Type Freshwater sediment

Concentration 8,9 mg/kg

Type of value PNEC

Type Marine sediment

Concentration 0,089 mg/kg

Type of value PNEC Type Soil

Concentration 0,14 mg/kg

Type of value PNEC

Type Secondary poisoning

Concentration 5,3 mg/kg

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Do not inhale gases/vapours/aerosols. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374. Appropriate Material Butyl rubber

Eye protection

Tightly fitting safety glasses

Body protection

Clothing as usual in the chemical industry.



Print date: 08.01.2025

Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid colourless
Odour characteristic

Melting point

Value -59 °C

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Value 101 °C

Flammability

evaluation Not applicable

Upper and lower explosive limits

Remarks not determined

Flash point

Value -8 °C

Method closed cup

Auto-ignition temperature

Value 310 °C

Decomposition temperature

Remarks not determined

pH value

Remarks not determined

Viscosity

dynamic

Value 0,5 mPa.s

Temperature 25 °C

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Value appr. 44,0 hPa

Temperature 20 °C

Density and/or relative density

Value 0,764 g/cm³

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined



Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

Evaporation rate

Remarks not determined

Evaporation rate (ether = 1):

Remarks not determined

Solubility in water

Remarks partially miscible

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Solvent content

Value 0,0 %

Other information None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting. Protect from heat and direct sunlight

10.5. Incompatible materials

None known

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

Hexamethyldisiloxane

Species rat

LD50 > 12160 mg/kg

Method OECD 401

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)



Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

Hexamethyldisiloxane

Species rat

LD50 > 2000 mg/kg

Method OECD 402

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

Hexamethyldisiloxane

Species rat

LC50 appr. 106 mg/l

Duration of exposure 4 h

Method OECD 403

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

This substance does not have endocrine disrupting properties with respect to humans.

Other information

No toxicological data are available.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined



Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

Fish toxicity (Components)

Hexamethyldisiloxane

Species rainbow trout (Oncorhynchus mykiss)
LC50 0,46 mg/l

Duration of exposure 96 h

Hexamethyldisiloxane

Species Fathead minnow (Pimephales promelas)
NOEC 0,029 mg/l

Duration of exposure 32 d

Method OECD 210

Daphnia toxicity (Components)

Hexamethyldisiloxane

Species Daphnia magna

NOEC 0,3 mg/l

Duration of exposure 21 d

Method OECD 211

Algae toxicity (Components)

Hexamethyldisiloxane

Species Pseudokirchneriella subcapitata

ErC50 > 0,55 mg/l

Duration of exposure 95 h

Method OECD 201

Bacteria toxicity (Components)

Hexamethyldisiloxane

Species activated sludge

NOEC >= 100 mg/l

Duration of exposure 3 h

Method OECD 209

12.2. Persistence and degradability

General information

not determined

Biodegradability (Components)

Hexamethyldisiloxane

Value 2 %

Duration of test 28 d evaluation not readily degradable

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)

Hexamethyldisiloxane

log Pow 5,06

Temperature 20 °C

12.4. Mobility in soil

General information



Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The Substance does not meet PBT-criteria. This substance does not meet the vPvB-criteria.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage. Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information ***



Print date: 08.01.2025

Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB

	Land transport ADR/RID ***	Marine transport IMDG/GGVSee ***	Air transport ICAO/IATA
14.1. UN number or ID number	1993	1993	1993
14.2. UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)	FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)	FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)
14.3. Transport hazard class(es)	3	3	3
Label	2	2	3
14.4. Packing group	II	II	II
Special provision	640C		
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 5 I / 5 kg	The product can be transported in accordance with IMDG Code paragraph 2.10.2.7, provided packaging not more than 5 I / 5 kg.	
Limited Quantity	11	11	
Transport category	2		
14.5. Environmental hazards	ENVIRONMENTALLY HAZARDOUS	Marine Pollutant ENVIRONMENTALLY HAZARDOUS	<u>-</u>
Tunnel restriction code	D/E		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.



Trade name: Diluting agent

Substance number: 71298 Version: 2 / GB Date revised: 08.01.2025

Replaces Version: 1 / GB Print date: 08.01.2025

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 On basis of test data
Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 2 H411 Calculation method

Hazard statements listed in Chapter 2/3

H225 Highly flammable liquid and vapour.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2

Flam. Liq. 2 Flammable liquid, Category 2

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.