

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 6

Revision: 25.04.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Lacquer B mat**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Silicone lacquer for coating earmolds and ear impressions
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Dreve Otoplastik GmbH  
Max-Planck-Straße 31  
59423 Unna / Germany  
Tel.: +49 2303 / 8807-0  
Fax.: +49 2303 / 8807-29
- **Further information obtainable from:**  
Department Research & Development  
Fax: +49 2303 / 8807-562  
Email: sicherheitsdatenblatt@dreve.de
- **1.4 Emergency telephone number:**  
Tel.: +49 211 / 797-3350  
Plant Fire Department Henkel

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2      H225 Highly flammable liquid and vapour.



GHS09 environment

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

Eye Irrit. 2      H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02



GHS07



GHS09

(Contd. on page 2)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 6

Revision: 25.04.2022

Trade name: **Lacquer B mat**

(Contd. of page 1)

- **Signal word** Danger
- **Hazard statements**
  - H225 Highly flammable liquid and vapour.
  - H315 Causes skin irritation.
  - H319 Causes serious eye irritation.
  - H410 Very toxic to aquatic life with long lasting effects.
- **Precautionary statements**
  - P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
  - P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
  - P280 Wear protective gloves/protective clothing/eye protection/face protection.
  - P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
  - Contains Dioctyltinacetylacetonate. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Silicone lacquer curing at air humidity

- **Dangerous components:**

|                                     |  |         |
|-------------------------------------|--|---------|
| CAS: 107-46-0<br>EINECS: 203-492-7  | hexamethyldisiloxane<br>⚠ Flam. Liq. 2, H225; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411 | 50-100% |
| CAS: 4253-34-3<br>EINECS: 224-221-9 | methylsilanetriyl triacetate<br>⚠ Skin Corr. 1B, H314  | 2.5-10% |
| CAS: 54068-28-9                     | Dioctyltinacetylacetonate<br>⚠ STOT SE 2, H371; ⚠ Skin Sens. 1, H317                           | ≤2.5%   |

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
  - In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
  - Immediately wash with water and soap and rinse thoroughly.
  - If skin irritation continues, consult a doctor.
- **After eye contact:**
  - Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
  - Do not induce vomiting.
  - Call a doctor immediately.

(Contd. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 6

Revision: 25.04.2022

Trade name: **Lacquer B mat**

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Avoid contact with skin and eyes.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Prevent seepage into sewage system, workpits and cellars.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Avoid contact with skin and eyes.  
Wear protective clothing
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in dry conditions.  
Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Protect from humidity and water.

(Contd. on page 4)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 6

Revision: 25.04.2022

Trade name: **Lacquer B mat**

(Contd. of page 3)

Store in cool, dry conditions in well sealed receptacles.

- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

Protective gloves should be changed regularly, especially after intensive contact with the product. For every workplace a suitable type of protective gloves must be selected. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

Nitrile rubber, NBR (0,4 mm)

As there are many different conditions in every day work these indications can only serve as an aid to orientation for the selection of suitable gloves for the handling of chemical products. By no means they can replace qualifying examinations by the end-user.

These recommendations only apply to the product mentioned in the safety data sheet. When mixing with other substances or under conditions deviant from norm EN 374 a manufacturer of CE-approved gloves should be referred to.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- **Eye protection:**



Tightly sealed goggles

(Contd. on page 5)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 6

Revision: 25.04.2022

Trade name: **Lacquer B mat**

(Contd. of page 4)

- **Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form: Fluid  
Colour: Colourless

· Odour: Pungent

· Odour threshold: Not determined.

· pH-value: Not determined.

##### · Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 101 °C

· Flash point: -8 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: >200 °C

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

##### · Explosion limits:

Lower: 2.1 Vol %

Upper: 11.5 Vol %

· Oxidising properties: Not determined  
Not applicable.

· Vapour pressure at 20 °C: 100 hPa

· Density at 20 °C: 0.90 g/cm<sup>3</sup>

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

##### · Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

· 9.2 Other information: No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity: No dangerous reactions if used according to specifications.

· 10.2 Chemical stability: Stable if used according to specifications.

(Contd. on page 6)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 6

Revision: 25.04.2022

Trade name: **Lacquer B mat**

(Contd. of page 5)

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Dampness
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 6

Revision: 25.04.2022

Trade name: **Lacquer B mat**

(Contd. of page 6)

Disposal must be made according to official regulations.

|                                   |           |
|-----------------------------------|-----------|
| <b>· European waste catalogue</b> |           |
| HP3                               | Flammable |
| HP14                              | Ecotoxic  |

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR, IMDG, IATA**

UN1993

- **14.2 UN proper shipping name**

- **ADR**

1993 FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50°C not more than 110 kPa) (hexamethyldisiloxane), ENVIRONMENTALLY HAZARDOUS

1993 ENTZÜNDBARER FLÜSSIGER STOFF, N.A.G. (Dampfdruck bei 50°C höchstens 110 kPa) (Hexamethyldisiloxan)

- **IMDG**

FLAMMABLE LIQUID, N.O.S. (hexamethyldisiloxane), MARINE POLLUTANT

- **IATA**

FLAMMABLE LIQUID, N.O.S. (hexamethyldisiloxane)

- **14.3 Transport hazard class(es)**

- **ADR, IMDG**



- **Class**

3 Flammable liquids.

- **Label**

3

- **IATA**



- **Class**

3 Flammable liquids.

- **Label**

3

- **14.4 Packing group**

- **ADR, IMDG, IATA**

II

- **14.5 Environmental hazards:**

Product contains environmentally hazardous substances: hexamethyldisiloxane

- **Marine pollutant:**

Yes

Symbol (fish and tree)

- **Special marking (ADR):**

Symbol (fish and tree)

- **14.6 Special precautions for user**

Warning: Flammable liquids.

- **Danger code (Kemler):**

33

(Contd. on page 8)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 6

Revision: 25.04.2022

Trade name: **Lacquer B mat**

(Contd. of page 7)

|   |   |
|---|---|
| · EMS Number:   | F-E,S-E   |
| · Stowage Category  | B   |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable.   |
| · Transport/Additional information:                                       |   |
| · ADR   |   |
| · Limited quantities (LQ)   | 1L  |
| · Excepted quantities (EQ)  | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml                           |
| · Transport category  | 2   |
| · Tunnel restriction code   | D/E   |
| · IMDG  |   |
| · Limited quantities (LQ)   | 1L  |
| · Excepted quantities (EQ)  | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml                           |
| · UN "Model Regulation":  | UN 1993 FLAMMABLE LIQUID, N.O.S. (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA) (HEXAMETHYLDISILOXANE), 3, II, ENVIRONMENTALLY HAZARDOUS |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Directive 2012/18/EU
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**  
E1 Hazardous to the Aquatic Environment  
P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H225 Highly flammable liquid and vapour.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H371 May cause damage to organs.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 9)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.04.2022

Version number 6

Revision: 25.04.2022

**Trade name: Lacquer B mat**

(Contd. of page 8)

- **Department issuing SDS:** Department Research & Development
- **Contact:** Dr. Thomas Veit, Lothar Sutor
- **Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - ICAO: International Civil Aviation Organisation
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Flam. Liq. 2: Flammable liquids – Category 2
  - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
  - Skin Sens. 1: Skin sensitisation – Category 1
  - STOT SE 2: Specific target organ toxicity (single exposure) – Category 2
  - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
  - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
  - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- **\* Data compared to the previous version altered.**

GB